TM 11-6625-535-25P

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

ORGANIZATIONAL, DS, GS, AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST

OSCILLOSCOPE AN/USM-140A

HEADQUARTERS, DEPARTMENT OF THE ARMY

SEPTEMBER 1966

TECHNICAL MANUAL
No. 11–6625–535–25P

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D. C., *29 September 1966*

Organizational, DS, GS, and Depot Maintenance Repair Parts and Special Tools List

OSCILLOSCOPE AN/USM–140A

		Paragraph	Page
Section I.	INTRODUCTION		
	Scope	1	2
	General	2	2
	Explanation of columns	3	2
	Reference publications	4	4
	Cross-reference index	5	4
	Location of repair parts	6	8
	Federal supply codes	7	9
	Reporting of equipment manual improvements	8	9
II.	PRESCRIBED LOAD ALLOWANCE LIST		10
III.	REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE		11
	OS–121A/USM–140 group		11
	MX–2930A/USM group		13
	MX–3078/USM group		13
IV.	REPAIR PARTS, DS, GS, AND DEPOT MAINTENANCE		14
	OS–121A/USM–140 group		14
	MX–2930A/USM group		50
	MX–3078/USM group		63
V.	FEDERAL STOCK NUMBER INDEX		65

Section 1

INTRODUCTION

1. Scope

This manual contains a list of repair parts and special tools required for the performance of organizational maintenance and a list covering the corresponding requirements for direct support, general support, and depot maintenance for Oscilloscope AN/USM-140A.

2. General

This repair parts and special tools list is divided into *four* principal parts:

a. Prescribed Load Allowance List (PLA) —Section II. The PLA is a consolidated listing of repair parts allocated for initial stockage at organizational maintenance level. This is a mandatory minimum stockage allowance.

b. Repair Parts for Organizational Maintenance, Section III. Repair parts authorized for organizational maintenance is included in this section.

c. Repair Parts for Direct Support, General Support, and Depot Maintenance, Section IV. This chart lists repair parts authorized for maintenance performance at general support and depot levels. No parts authorized at direct support level.

d. Federal Stock Number Cross-Reference Index, Section V. This is a cross-reference index of Federal stock numbers to illustrations by figure and item number.

3. Explanation of Columns

An explanation of the columns in sections II through IV is given below.

a. Source, Maintenance, and Recoverability Codes, Column 1, Sections III and IV.

(1) *Source code, column 1a.* The selection status and source for the listed item is noted here. Source codes and their explanations are as follows:

Code	Explanation
P --	Applies to parts that are stocked in or supplied from the GSA/DSA, or Army supply system, and authorized for use at indicated maintenance categories.
A --	Applies to assemblies that are not procured or stocked as such but are made up of two or more units, each of which carry individual stock numbers and descriptions and are procured and stocked and can be assembled by units at indicated maintenance categories.
X1--	Applies to repair parts which are not procured or stocked, the requirement for which will be supplied by the use of next higher assembly or component.
X2--	Applies to repair parts which are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain them through cannibalization; if not obtainable through cannibalization, such repair parts will be requisitioned with supporting justification through normal supply channels.

(2) *Maintenance code, column 1b.* The lowest category of maintenance authorized to install the listed item is noted here.

Code	Explanation
O --	Organizational maintenance
H --	General support maintenance

(3) *Recoverability code, column 1c.* The information in this column indicates whether unserviceable items should be returned for recovery or salvage. Recoverability codes and their explanations are as follows:

Note. When there is no code indicated in the recoverability column, the part will be considered expendable.

Code	Explanation
R --	Applies to repair parts and assemblies which are economically repairable at DSU and GSU activities and normally are furnished by supply on an exchange basis.

b. Federal Stock Number, Column 1, Section II; Column 2, Sections III and IV. The Federal stock number for the item is indicated in this column.

c. Description, Column 2, Sections II; Column 3, Sections III and IV. The sequence number, Federal item name, a five-digit manufacturer's code, an indenture code, and a part number are included in this column. For subsequent appearances of the same item, the manufacturer's code and part number are omitted. The words "same as" followed by the sequence number assigned to the item when it first appeared in the list will follow the item name, e.g., "RESISTOR, FIXED, COMPOSITION: SAME AS A298." The indenture codes indicate the end item, the assemblies, and the component parts. Identical codes are parts of the preceding higher code.

d. Unit of Issue, Column 4, Sections III and IV. The unit used as a basis of issue (e.g. ea, pr, ft, yd, etc) is noted in this column.

e. Quantity Incorporated in Unit Pack, Column 4, Section II. Column 5, Sections III and IV. Not used.

f. Quantity Incorporated in Unit, Column 6, Sections III and IV. The quantity of repair parts in an assembly is given in this column.

g. Maintenance Allowance, Column 3, Section II; Column 7, Sections III and IV.

(1) The allowance columns are divided into subcolumns. The total quantity of items authorized for the number of equipments supported is indicated in each subcolumn opposite the first appearance of each item. Subsequent appearances of the same item will have no entry in the allowance columns but will have a reference, in the description column, to the first appearance of the item. Items authorized for use as required but not for initial stockage are identified with an asterisk (*) in the allowance column.

(2) The quantitative allowance for organizational level of maintenance represents one initial prescribed load for a 15-day period for the number of equipments supported. Units and organizations authorized additional prescribed loads will multiply the number of prescribed loads authorized by the quantity of repair parts reflected in the appropriate density column to obtain the total quantity of repair parts authorized.

(3) Subsequent changes to organizational allowances will be limited as follows: No change in the range of items is authorized. If additional items are considered necessary, recommendation should be forwarded to Commanding General, U.S. Army Electronics Command, ATTN: AMSEL-MR-NMP-RR, Fort Monmouth, N. J., 07703, for exception or revision to the allowance list. Revisions to the range of items authorized will be made by the USA ECOM National Maintenance Point based upon engineering experience, demand data, or TAERS information.

(4) The quantitative allowances for GS levels of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

h. One-Year Allowances Per 100 Equipments/Contingency Planning Purposes, Column 8, Section IV. Opposite the first appearance of each item, the total quantity required for distribution and contingency planning purposes is indicated. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year.

i. Illustration, Column 8, Section III; Column 10, Section IV.

(1) *Figure number, columns 8a and 10a.* The number of the illustration in which the item is shown is indicated in this column.

(2) *Item or symbol number, columns 8b and 10b.* The callout number used to reference the item in the illustration is indicated in this column.

j. Depot Maintenance Allowance Per 100 Equipments, Column 9, Section IV. This column indicates the total quantity of each item authorized depot maintenance for 100 equipments. Subsequent appearances of the same item will have no entry in this column, but will have a reference in the description column to the first appearance of the item.

4. Reference Publications

The following publication pertains to Oscilloscope AN/USM–140A and its components: TM 11–6625–535–15, Organizational, DS, GS, and Depot Maintenance Manual Oscilloscope AN/USM–140A.

5. Cross-Reference Index

A cross-reference index of the reference symbol number and the sequence number is given below. It is to be used for the location of items in the parts list when the Federal stock number for an item is not known. For explanation on the use of this index, refer to paragraph 6.

Reference symbol	Sequence number	Reference symbol	Sequence number	Reference symbol	Sequence number	Reference symbol	Sequence number
OS–121A/USM–140 Group		C22	35	C132	91	C309	335
		C23	36	C133	90	C310	335
A1	3	C24	36	C134	92	C311	334
A2	33	C25	35	C135	86	C312	334
A3	66	C26	35	C136	80	C313	334
A100	69	C27	35	C137	93	C314	246
A101	77	C28	67	C139	93	C315	247
A102	137	C29	67	C140	86	C316	248
A200	144	C30	35	C141	86	C317	249
A201	156	C31	37	C142	86	C138	336
A202	168	C32	38	C143	83	C319	223
A203	195	C33	35	C144	93	C320	223
A300	203	C34	35	C201	196	C401	337
A301	216	C35	35	C202	333	C402	338
A302	245	C101	138	C204	197	C403	339
A303	264	C102	78	C205	198	C404	266
A401	265	C103	70	C206	157	C405	266
A402	269	C104	71	C207	196	C406	266
A1000	304	C105	79	C211	169	C407	267
B401	331	C106	80	C212	170	C408	337
B401A	332	C107	81	C213	169	C409	270
C1	4	C108	82	C214	170	C410	338
C2	5	C109	83	C215	171	C411	340
C7	5	C110	84	C216	172	C412	270
C8	5	C114	85	C221	158	C416	337
C9	6	C116	86	C222	173	C417	270
C10	5	C117	87	C301	217	C418	271
C11	7	C118	86	C302	218	C419	272
C12	5	C119	88	C303	219	C420	340
C13	5	C121	89	C304	220	C425	341
C14	4	C122	86	C305	221	C426	273
C15	4	C123	80	C306	217	C1001	305
C20	34	C124	90	C307	222	C1002	306
C21	35	C130	137	C308	334	C1003	307

Reference symbol	Sequence number	Reference symbol	Sequence number	Reference symbol	Sequence number	Reference symbol	Sequence number
C1004	308	F406	356	Q201	175	R48	47
C1006	309	FL401	357	Q202	175	R49	48
C1007	310	J1	358	Q401	275	R50	49
C1008	311	J101	359	Q402	275	R51	48
C1009	312	J102	359	Q403	372	R52	49
C1010	313	J103	NOT USED	Q404	372	R53	50
C1011	314	J104	359	Q405	372	R54	51
C1012	313	J105	360	Q406	275	R55	52
C1013	315	J201	359	Q407	275	R56	53
C1014	313	J301	361	Q408	275	R61	44
C1015	316	J302	361	Q409	372	R62	45
C1016	313	L1	9	Q410	275	R63	46
CR101	94	L2	9	Q411	275	R64	47
CR102	94	L3	10	Q412	275	R65	48
CR103	95	L4	11	Q413	372	R66	48
CR104	94	L5	10	Q414	275	R67	49
CR301	250	L6	11	Q415	275	R68	49
CR401	268	L9	12	Q416	372	R69	50
CR402	268	L10	13	Q417	373	R70	52
CR403	268	L13	39	Q418	372	R71	53
CR404	268	L14	40	Q419	372	R75	68
CR405	268	L15	41	R1	14	R76	68
CR406	268	L16	39	R2	15	R77	54
CR407	268	L17	40	R3	14	R78	55
CR408	268	L18	41	R4	15	R79	55
CR409	268	L19	42	R5	16	R80	56
CR410	268	L20	42	R6	16	R81	68
CR411	268	L21	43	R7	17	R82	68
CR412	268	L22	43	R8	18	R83	54
CR413	274	L101	96	R9	18	R84	55
CR414	342	L102	97	R11	19	R85	55
CR415	342	L103	97	R12	16	R86	56
CR416	274	L201	174	R13	374	R87	376
DL1	8	L202	174	R14	16	R88	377
DL2	8	L301	224	R16	19	R89	57
DL301	343	L302	224	R18	14	R90	58
DS401	344	L402	362	R19	15	R91	59
DS402	345	L403	363	R20	20	R92	57
DS403	346	L404	362	R21	14	R93	58
DS404	346	L405	363	R22	15	R94	59
DS405	346	L406	364	R23	21	R95	378
DS406	346	MP1	365	R24	22	R96	379
DS1001	346	MP2	366	R25	23	R97	60
E1	347	MP3	366	R26	15	R98	61
E2	348	MP4	366	R27	21	R99	380
E3	349	MP5	366	R28	24	R101	139
E4	350	MP6	366	R29	25	R102	139A
E101	351	MP7	367	R30	15	R103	72
E102	351	MP8	367	R31	16	R104	73
E104	351	MP9	367	R32	18	R105	74
E201	351	MP10	367	R36	26	R106	75
E301	351	MP11	368	R37	27	R107	98
E302	351	MP12	365	R38	375	R108	98
F401	352	MP13	365	R39	28	R109	99
F402	352	MP14	365	R40	29	R110	100
F403	353	P3	369	R45	44	R111	101
F404	354	P401	370	R46	45	R112	101
F405	355	P402	371	R47	46	R113	102

Reference symbol	Sequence number	Reference symbol	Sequence number	Reference symbol	Sequence number	Reference symbol	Sequence number
R114	381	R180	131	R260	178	R350	212
R115	103	R181	98	R264	176	R351	213
R116	104	R182	132	R265	386	R352	214
R117	98	R186	98	R266	181	R353	390
R118	105	R187	98	R267	185	R354	391
R119	106	R188	133	R268	186	R355	258
R120	107	R189	98	R269	181	R356	259
R121	108	R190	133	R270	386	R357	260
R122	98	R201	199	R271	187	R358	261
R123	109	R202	200	R272	188	R359	262
R124	98	R203	201	R273	189	R360	263
R125	109	R204	202	R274	190	R361	392
R130	110	R205	159	R275	190	R362	263
R131	111	R206	160	R276	191	R363	392
R132	112	R207	161	R277	163	R364	264A
R133	103	R208	162	R278	186	R365	258
R135	113	R209	145	R301	225	R366	258
R136	98	R210	146	R302	226	R367	393
R137	104	R211	383	R303	227	R401	394
R138	113	R212	200	R304	228	R402	395
R139	114	R213	199	R305	387	R403	396
R140	98	R214	163	R306	229	R405	397
R141	106	R215	159	R307	230	R406	397
R142	115	R216	384	R308	231	R407	397
R143	98	R217	164	R309	232	R408	276
R144	116	R218	163	R310	233	R409	277
R145	117	R221	165	R313	251	R410	278
R146	118	R222	165	R314	251	R411	398
R147	119	R223A	385	R315	251	R412	278
R148	108	R223B	385	R316	388	R413	279
R149	108	R224	163	R317	388	R415	280
R150	98	R233	147	R318	388	R416	281
R151	98	R234	148	R322	252	R417	282
R152	99	R235	149	R323	252	R421	399
R153	120	R236	150	R324	388A	R422	400
R154	98	R237	151	R326	253	R423	401
R155	98	R238	152	R327	254	R424	402
R156	121	R239	152	R328	255	R425	283
R157	104	R240	152	R330	389	R426	284
R158	112	R241	152	R331	256	R427	285
R161	140	R242	151	R332	256	R428	286
R162	141	R243	381	R333	256	R430	287
R163	382	R244	176	R334	257	R431	288
R164	138	R245	177	R335	234	R432	289
R165	122	R246	178	R336	235	R433	290
R167	98	R247	179	R337	228	R434	291
R168	123	R248	180	R338	236	R435	281
R169	124	R249	181	R339	228	R438	397
R170	114	R250	182	R340	237	R439	402A
R171	125	R251	180	R341	204	R440	403
R172	126	R252	182	R342	238	R441	401
R173	98	R253	181	R343	205	R442	404
R174	127	R254	183	R344	206	R443	292
R175	98	R255	183	R345	207	R444	293
R176	128	R256	181	R346	208	R445	294
R177	129	R257	181	R347	209	R446	295
R178	130	R258	184	R348	210	R447	296
R179	113	R259	176	R349	211	R448	284

Reference symbol	Sequence number	Reference symbol	Sequence number	Reference symbol	Sequence number	Reference symbol	Sequence number
R449	297	V108	NOT	A1500	493	C1553	497
R450	286		USED	A1501	511	C1554	532
R451	298	V109	135A	A1502	529	C1555–C1556	495
R452	383	V110–V111	135	A1503	546	C1557	498
R457	401	V113–V115	134	C503	439	C1558	499
R458	405	V116	135	C504	439	C1559–C1560	495
R459	299	V201–V202	166	C505	NOT	C1561	500
R460	406	V203	192		USED	C1562	499
R461	300	V204–V205	193	C506–C508	470	C1563–C1564	495
R462	292	V206	192	C509–C510	471	C1565	500
R463	301	V207	193	C511	470	C1566	501
R464	407	V301	239	C515	470	C1567	495
R1001	317	V302–V303	240	C516	439	C1568	500
R1002	408	V304	241	C517–C518	440	C1569	495
R1003	408	V305	418	C519	470	C1570	564
R1004	408	V306	239	C522–C523	441	C1571	495
R1005	318	V307	242	C1500	547	C1572	500
R1006	319	V308–V312	419	C1501–C1502	563	C1573	495
R1007	320	V313–V400	NOT	C1503		C1574	565
R1009	321		USED	C1504–C1505	512	C1575	495
R1010	322	V401	302	C1506	513	C1576	500
R1011	323	W4	420	C1507	548	C1577	495
R1012	324	W5	421	C1508–C1509	512	C1578	566
R1013	324	W402	422	C1510	514	C1579	495
R1014	325	XDS401	423	C1511	549	C1580	500
R1015	326	XDS403–		C1512–C1513	512	C1581	495
R1016	326	XDS406	424	C1514	515	C1582	567
R1017	327	XDS1001	424	C1515	516	C1587	429
R1018	328	XF401–XF403	425	C1516–C1517	512	C1588	568
R1019	328	XF404–XF405	425	C1518	517	C1589	569
R1020	328	XF406	425	C1519	516	C1590	570
R1021	329	XV1	31	C1520–C1521	512	C1591	430
R1023	153	XV2–XV3	32	C1522	517	C1592	431
R1024	408	XV4–XV5	31	C1523	518	C1593	432
R1025	409	XV6	64	C1524	512	C1594	431
S1	410	XV7	65	C1525	517	C1595	568
S101	142	XV10	65	C1526	512	CR501	442
S102	76	XV11	65	C1527	564	CR502–CR504	472
S103	143	XV12	64	C1528	512	CR505	442
S201	411	XV13	64	C1529	517	CR506	473
S202	154	XV101	136	C1530	512	J501–J502	572
S203	155	XV103–XV105	136	C1531	565	L501–L5	443
S302	215	XV107	136	C1532	512	L5	444
S401	412	XV109	136	C1533	517	L505	444
S402	413	XV113–XV115	136	C1534	512	L508	444
S403	414	XV201–XV202	167	C1535	566	L509	NOT
S1001	330	XV203–XV207	194	C1536	512		USED
S1002	415	XV301	243	C1537	517	L510	444
T301	416	XV304	244	C1538	512	L511–L512	443
T401	417	XV305	426	C1539	567	L513	473A
V1–V5	30	XV306	243	C1540–C1541	519	L514–L515	445
V6–V7	62	XV307	244	C1543	530	L516–L517	446
V8–V9	63	XV401	303	C1544–C1545	494	L518–L519	445
V10–V13	62	MX–2930A/USM	Group	C1546	530	P501	577
V101	134	A5	427	C1547–C1548	495	Q501–Q504	447
V102	135	A500	428	C1549	496	R501–R502	448
V103–V105	134	A501	438	C1550	531	R503	449
V107	134	A502	469	C1551–C1552	495	R504	578

Reference symbol	Sequence number	Reference symbol	Sequence number	Reference symbol	Sequence number	Reference symbol	Sequence number
R505	449	R559	480	R1517	559	S505	437
R507	450	R560	481	R1518	557	S506	587
R508	579	R561	434	R1519	527	S507	587
R509	450	R562	482	R1520	559	S508	588
R510–R540	580	R563	483	R1521	560	S509	589
R512–R513	451	R564	475	R1522	561	T501	488
R514	452	R565–R566	483	R1523	528	V500	NOT
R515	453	R567	475	R1524	582		USED
R516–R517	454	R568	483	R1530	533	V501–V502	465
R518	455	R569	482	R1531	534	V503	466
R519	450	R570	484	R1532	502	V504–V505	465
R520	581	R571	460	R1533	535	V506	466
R521	450	R572–R574	460	R1534	503	V507–V508	489
R522	455	R575	461	R1535	536	V509	490
R523–R524	456	R576	457	R1536	504	XV501–XV502	467
R525	457	R579	485	R1537	537	XV503	468
R526	474	R580–R581	462	R1538	505	XV504–XV505	467
R527–R528	449	R582–R583	463	R1539	538	XV506	468
R529	450	R584–R585	456	R1540	506	XV507	491
R530	581	R586–R587	464	R1541	539	XV508	492
R531	450	R588–R589	463	R1542	540	E501–E502	571
R532–R533	455	R590	583	R1543	507	MP500–MP501	573
R534–R535	454	R591–R592	486	R1544	541	MP502–MP504	574
R536	453	R593	487	R1545	540	MP505–MP506	575
R537	452	R1500	550	R1546	508	MP507–MP508	576
R538–R539	451	R1501	551	R1547	542	MP509–MP510	573
R542	450	R1502	520	R1548	540	MX–3078/USM	Group
R543	458	R1503	552	R1549	509	A2000	590
R544	450	R1504	521	R1550	542	C2001	591
R545	449	R1505	553	R1551	543	CR2001	592
R546	573	R1506	522	R1552	544	DS2001	593
R547	449	R1507	554	R1553	510	J2001	595
R548–R549	448	R1508	523	R1560	582	J2002	595
R550–R551	449	R1509	555	R1561	584	P2001	596
R552	459	R1510	524	R1563	435	R2001	597
R553	433	R1511	556	R1564	436	S2001	598
R554	475	R1512	557	R1568	585	S2002	598
R555	476	R1513	525	S501	586	XDS2001	599
R556	477	R1514	558	S502	545	E2001	594
R557	478	R1515	557	S503	586	E2002	594
R558	479	R1516	526	S504	562		

6. Location of Repair Parts

a. When the Federal stock number is unknown, refer to the cross-reference index (para 5) and follow the procedures listed in (1) through (3) below.

(1) Determine the proper reference symbol.

(2) Locate the reference symbol listed in the cross-reference index and note the sequence number, in the repair parts list, for the item.

(3) Use the repair parts list and find the sequence number noted in the index.

b. When the Federal stock number is known, follow the procedures given in (1) and (2) below.

(1) Use the index of Federal stock numbers to figure and item numbers and locate the Federal stock number. The Federal stock numbers are listed in numerical sequence and are cross referenced to the figure number and item number.

(2) Use the repair part listing to find the functional group or subgroup of the repair part and the figure and item numbers as noted in the index of Federal stock numbers.

7. Federal Supply Codes

This paragraph lists the Federal supply code and the associated manufacturer's name.

00853 ____ Sangamo Electric Co., Pickens Division
01121 ____ Allen-Bradley Co.
02642 ____ TRW Inc., Cambridge Works of Tapco Group
02660 ____ Amphenol-Borg Electronics Corp
09134 ____ Texas Capacitor Co., Inc
14674 ____ Corning Glass Works
19701 ____ Electra Mfg Co.
21697 ____ Daniels Shower Door
28480 ____ Hewlett-Packard Co.
28569 ____ Hickok Electrical Instrument Co.
56289 ____ Sprague Electric Co.
60380 ____ The Torrington Co.
62119 ____ Universal Electric Co.
71400 ____ Bussman Mfg., Division of McGraw-Edison Co.
71450 ____ CTS Corp
71590 ____ Centralab, Division of Globe-Union, Inc
71785 ____ Cinch Co. and Howard B. Jones Div.
72619 ____ Dialight Corp.
72982 ____ Erie Technological Products Inc
73138 ____ Beckman Instruments Inc., Helipot Div.
76433 ____ General Instrument Corp, Capacitor Division
76854 ____ Oak Mfg Co.
80063 ____ Army Electronics Command
81349 ____ Military Specifications
81439 ____ Therm-O-Disc Inc
82647 ____ Metals and Controls Inc., Control Products Group
91662 ____ ELCO Corp.
95265 ____ National Coil Co.
97315 ____ Ballastran Corp.
98734 ____ Paeco, Division of Hewlett-Packard Co.
99109 ____ Columbia Technical Corp.
99800 ____ Delevan Electronics Corp.

8. Reporting of Equipment Manual Improvements

The direct reporting by the individual user of errors, omissions, and recommendations for improving this manual is authorized and encouraged. DA Form 2028 (Recommended Changes to DA Publications) will be used for reporting these improvements. This form will be completed using pencil, pen, or typewriter and forwarded direct to Commanding General, U. S. Army Electronics Command, ATTN: AMSEL-MR-NMP-AD, Fort Monmouth, N. J., 07703.

PRESCRIBED LOAD ALLOWANCE

(1) FEDERAL STOCK NUMBER	(2) DESCRIPTION	(3) 15—DAY ORG. MAINT. ALLOWANCE (A) 1—5	(B) 6—20	(C) 21—50	(D) 51-100	(4) QTY INC IN UN PK
5920-280-4465	FUSE, CARTRIDGE: 81349; F02A250V1AS	2	2	3	6	
5920-281-0224	FUSE, CARTRIDGE: 81349; F02A250V1/2AS	2	2	3	6	
5920-284-7732	FUSE, CARTRIDGE: 81349; F03A250V8AS	2	2	6	11	
5920-284-9494	FUSE, CARTRIDGE: 81349; F02A250V3/4AS	2	2	3	6	
5920-846-5726	FUSE, CARTRIDGE: 81349; F03B32V10AS	2	2	3	6	
5960-262-0185	ELECTRON TUBE: 81349; 5726/6AL5W	*	2	2	3	
5960-669-6861	ELECTRON TUBE: 81349; 6005/6AQ5W	*	2	2	3	
5960-669-6884	SEMICONDUCTOR DEVICE, DIODE: 81349; 1N277	*	*	2	2	
5960-681-9596	ELECTRON TUBE: 81349; USN6922	3	10	24	47	
5960-806-5614	ELECTRON TUBE: 81349; 7308	2	2	6	11	
5960-811-5799	SEMICONDUCTOR DEVICE, DIODE: 81349; 1N1202	*	*	*	2	
5960-814-0768	SEMICONDUCTOR DEVICE, DIODE: 81349; 1N3064	*	*	*	2	
5960-852-7549	SEMICONDUCTOR DEVICE, DIODE: 81349; 1N754A	*	*	2	2	
5960-892-3801	TRANSISTOR: 81349; 2N457	*	*	2	2	
5960-978-7465	SEMICONDUCTOR DEVICE, DIODE: 81349; 1N1566A	*	*	2	2	
5961-883-5305	TRANSISTOR: 81349; 2N652A	*	*	2	2	
6240-155-8706	LAMP, INCANDESCENT: 81349; MS15571-2, type TB-14	*	2	2	3	
6240-179-1811	LAMP, GLOW: 81349; VG-11	*	*	2	2	
6240-539-8959	LAMP, GLOW: 80063; SM-A-189591	*	2	3	5	
6240-683-0580	LAMP, GLOW: 81349; MS25252-NE2D	*	*	2	2	

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 15 DAY ORG. MAINT. ALW. (A) 1–5	(B) 6–20	(C) 21–50	(D) 51–100	(8) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
			6625-066-2525							1 OSCILLOSCOPE AN/USM-140A	ea								
										GROUP I OSCILLOSCOPE OS-121A/USM-140									
A	H	R	6625-071-0787							2 OSCILLOSCOPE OS-121A/USM-140	ea		1					1-1	
P	O		5960-681-9596							30 ELECTRON TUBE: 81349; USN6922	ea		5	3	10	25	47	5-10	V1 thru V5
P	O		5960-681-9596							62 ELECTRON TUBE: SAME AS 30	ea		6					5-11	V6, V7, V10, V11, V12, V13
P	O		6240-539-8959							63 LAMP, GLOW: 80063; SM-A-189591	ea		2	*	2	3	5	5-11	V8, V9
P	O		5960-814-0768							94 SEMICONDUCTOR DEVICE, DIODE: 81349; 1N3064	ea		3	*	*	*	2	5-14	CR101, CR102, CR104
P	O		5960-852-7549							95 SEMICONDUCTOR DEVICE, DIODE: 81349; 1N754A	ea		1	*	*	2	2	5-14	CR103
P	O		5960-681-9596							134 ELECTRON TUBE: SAME AS 30	ea		8					5-14	V101, V103, V104, V105, V107, V113, V114, V115
P	O		6240-539-8959							135 LAMP, GLOW: SAME AS 63	ea		4					5-14	V102, V110, V111, V116
P	O		5960-681-9596							192 ELECTRON TUBE: SAME AS 30	ea		2					5-18	V203, V206
P	O		5960-681-9596							239 ELECTRON TUBE: SAME AS 30	ea		2					5-21	V301, V306
P	O		6240-539-8959							240 LAMP, GLOW: SAME AS 63	ea		2					5-21	V302, V303
P	O		5960-669-6861							241 ELECTRON TUBE: 81349; 6005/6AQ5W	ea		1	*	2	2	3	5-21	V304
P	O		5960-262-0185							242 ELECTRON TUBE: 81349; 5726/6AL5W	ea		1	*	2	2	3	5-21	V307
P	O		5960-978-7465							268 SEMICONDUCTOR DEVICE, DIODE: 81349; 1N1566A	ea		12	*	*	2	2	5-23	CR401 thru CR412
P	O		5960-852-7549							274 SEMICONDUCTOR DEVICE, DIODE: SAME AS 95	ea		2					5-24	CR413, CR416

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 15 DAY ORG. MAINT. ALW. (A) 1–5	(B) 6–20	(C) 21–50	(D) 51–100	(8) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
										AN/USM-140A (continued)									
P	0		5961-883-5305							275 TRANSISTOR: 81349; 2N652A	ea		10	*	*	2	2	5-24	Q401, Q402, Q406, Q407, Q408, Q410, Q411, Q412, Q414, Q415
P	0		5960-811-5799							342 SEMICONDUCTOR DEVICE, DIODE: 81349; 1N1202	ea		2	*	*	*	2	5-6	CR414, CR415
P	0		6240-683-0580							344 LAMP, GLOW: 81349; MS25252-NE2D	ea		1	*	*	2	2	7-1	DS401
P	0		6240-179-1811							345 LAMP, GLOW: 81349; VG-11	ea		1	*	*	2	2	5-7	DS402
P	0		6240-155-8706							346 LAMP, INCANDESCENT: 81349; MS15571-2, type TB-14	ea		5	*	2	2	3	5-5 7-1	DS403 thru DS406 DS1001
P	0		5935-149-3534							347 CONNECTOR, ADAPTER UG-273/U	ea		2	*	*	*	*	7-1	E1
P	0		5935-683-7892							348 CONNECTOR, ADAPTER: 81349; MS35173-274B	ea		2	*	*	*	*	7-1	E2
P	0		5935-823-0639							349 CONNECTOR, ADAPTER UG-255A/U	ea		2	*	*	*	*	7-1	E3
P	0		4935-992-6112							350 ADAPTER, CONNECTOR UG-1441/U	ea		2	*	*	*	*	7-1	E4
P	0		5920-284-7732							352 FUSE, CARTRIDGE: 81349; F03A250V8AS	ea		2	2	2	6	11	5-7	F401, F402
P	0		5920-281-0224							353 FUSE, CARTRIDGE: 81349; F02A250V1/2AS	ea		1	2	2	3	6	5-7	F403
P	0		5920-280-4465							354 FUSE, CARTRIDGE: 81349; F02A250V1AS	ea		1	2	2	3	6	5-6	F404
P	0		5920-284-9494							355 FUSE, CARTRIDGE: 81349; F02A250V3/4AS	ea		1	2	2	3	6	5-6	F405
P	0		5920-846-5726							356 FUSE, CARTRIDGE: 81349; F03B32V10AS	ea		1	2	2	3	6	5-7	F406
P	0		5935-636-7145							371 CONNECTOR, PLUG, ELECTRICAL: 81349; UP-121M	ea		1	*	*	*	*	7-1	P402
P	0		5960-892-3801							372 TRANSISTOR: 81349; 2N457	ea		8	*	*	2	2	5-6	Q403, Q404, Q405, Q409, Q413, Q416, Q418, Q419

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 15 DAY ORG. MAINT. ALW. (A) 1-5	(B) 6-20	(C) 21-50	(D) 51-100	(8) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
										AN/USM-140A (continued)									
P	0		5960-679-5290							373 TRANSISTOR: 81349; 2N174	ea		1	*	*	*	*	5-6	Q417
P	0	R	6625-973-4775							421 PROD, TEST MX-4073/U	ea		2	*	*	*	*		W5
										GROUP II PREAMPLIFIER, DUAL TRACE MX-2930A/USM									
A	0	R	6625-071-0778							427 PREAMPLIFIER, DUAL TRACE MX-2930A/USM	ea		1					1-1	A5
P	0		5960-806-5614							465 ELECTRON TUBE: 81349; 7308	ea		4	2	2	6	11	8-2	V501, V502, V504, V505
P	0		5960-681-9596							466 ELECTRON TUBE: SAME AS 30	ea		2					8-2	V503, V506
P	0		5960-669-6884							472 SEMICONDUCTOR DEVICE, DIODE: 81349; 1N277	ea		3	*	*	2	2	8-3	CR502, CR503, CR504
P	0		5960-681-9596							489 ELECTRON TUBE: SAME AS 30	ea		2					8-3	V507, V508
P	0		6240-179-1811							490 LAMP, GLOW: SAME AS 345	ea		1					8-3	V509
										GROUP III AUXILIARY PLUG-IN MX-3078/USM									
A	0	R	6625-961-5888							590 AUXILIARY PLUG-IN MX-3078/USM	ea		1					1-1	A2000
P	0		5960-669-6884							592 SEMICONDUCTOR DEVICE, DIODE: SAME AS 472	ea		1					5-6	CR2001
P	0		6240-683-0580							593 LAMP, GLOW: SAME AS 344	ea		1					1-1	DS2001

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
			6625-066-2525							A	1 OSCILLOSCOPE AN/USM-140A	ea												
											GROUP I OSCILLOSCOPE OS-121A/USM-140													
A	H	R	6625-071-0787							B	2 OSCILLOSCOPE OS-121A/USM-140	ea		1									1-1	
A	H	R								C	3 BOARD, ETCHED CIRCUIT: 28569; 2420-624	ea		1									5-10	A1
P	H		5910-822-5683							D	4 CAPACITOR, FIXED, CERAMIC: 81349; CK63AW103M	ea		3	-	-	-	2	4	7	90	99	5-10	C1, C14, C15
P	H		5910-701-9100							D	5 CAPACITOR, FIXED, CERAMIC: 72982; 841-010W5R3203M	ea		1	-	-	-	2	2	3	44	42	5-10	C2, C7, C8, C10, C12, C13
P	H		5910-833-9542							D	6 CAPACITOR, FIXED, CERAMIC: 81349; CM15D331JN3	ea		1	-	-	-	*	*	*	5	3	5-10	C9
P	H		5910-889-4777							D	7 CAPACITOR, FIXED, MICA: 81349; CM15C820JN3	ea		2	-	-	-	*	*	2	10	6	5-10	C11
P	H		6625-960-4308							D	8 CABLE, RADIOFREQUENCY	pr		1	-	-	-	*	*	*	5	3	5-5	DL1, DL2
P	H		5950-957-3013							D	9 COIL, RADIOFREQUENCY: 99800; NB-0.18-P	ea		2	-	-	-	*	2	2	21	20	5-10	L1, L2
P	H		5950-754-9896							D	10 COIL, RADIOFREQUENCY: 81349; MS75008-5	ea		2	-	-	-	*	2	2	21	20	5-10	L3, L5
P	H		5950-957-4740							D	11 COIL, RADIOFREQUENCY: 5 uh, 10%	ea		2	-	-	-	*	2	2	13	10	5-10	L4, L6
P	H		5950-776-1118							D	12 COIL, RADIOFREQUENCY: 81349; MS75008-10	ea		1	-	-	-	*	2	2	18	15	5-10	L9
P	H		5950-810-4611							D	13 COIL, RADIOFREQUENCY: 81349; MS75008-13	ea		1	-	-	-	*	*	2	8	5	5-10	L10

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-252-4018							D	14 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF470J	ea		4	-	-	-	2	6	11	132	170	5-10	R1, R3, R18, R21
P	H		5905-192-3982							D	15 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF105J	ea		6	-	-	-	2	2	3	42	45	5-10	R2, R4, R19, R22, R26, R30
P	H									D	16 RESISTOR, FIXED, FILM: 14674; LPI-3-6.5K-5%	ea		5	-	-	-	2	2	3	39	40	5-10	R5, R6, R12, R14, R31
P	H		5905-279-2603							D	17 RESISTOR, FIXED, COMPOSITION: 81349; RC32GF471J	ea		1	-	-	-	*	*	2	8	5	5-10	R7
P	H		5905-537-6742							D	18 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF471K	ea		3	-	-	-	2	2	3	34	35	5-10	R8, R9, R32
P	H		5905-951-1478							D	19 RESISTOR, FIXED, FILM: 81349; RN60B9530F	ea		2	-	-	-	*	2	2	18	15	5-10	R11, R16
P	H		5905-722-0060							D	20 RESISTOR, FIXED, FILM: 14674; LPI-3-10K-5%	ea		1	-	-	-	*	2	2	18	15	5-10	R20
P	H		5905-299-1541							D	21 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF151J	ea		2	-	-	-	*	2	2	27	25	5-10	R23, R27
P	H		5905-473-5251							D	22 RESISTOR, FIXED, COMPOSITION: 81349; RC32GF102J	ea		1	-	-	-	*	*	2	8	5	5-10	R24
P	H		5905-279-1876							D	23 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF222J	ea		1	-	-	-	*	2	2	21	20	5-10	R25

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	(B) 21–50	(C) 51–100	GS (A) 1–20	(B) 21–50	(C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-299-2044							D	24 RESISTOR, FIXED, COMPOSITION: 81349; RC32GF222J	ea		1	-	-	-	*	*	2	8	5	5-10	R28
P	H		5905-195-6806							D	25 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF102J	ea		1	-	-	-	*	2	2	13	10	5-10	R29
P	H		5905-171-2000							D	26 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF684J	ea		1	-	-	-	*	*	2	8	5	5-10	R36
P	H		5910-279-2517							D	27 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF394J	ea		1	-	-	-	*	*	2	8	5	5-10	R37
P	H									D	28 RESISTOR, FIXED, FILM: 14674; LPI-3-3K-5%	ea		1	-	-	-	*	*	2	8	5	5-10	R39
P	H		5905-190-8883							D	29 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF100J	ea		1	-	-	-	2	2	3	42	45	5-10	R40
P	O		5960-681-9596							D	30 ELECTRON TUBE: 81349; USN6922	ea		5	-	-	-	21	48	91	1168	2900	5-10	V1 thru V5
P	H									D	31 SOCKET, ELECTRON TUBE: 91662; 3908-2-2	ea		3	-	-	-	2	4	7	82	80	5-10	XV1, XV4, XV5
P	H		5935-951-1441							D	32 SOCKET, ELECTRON TUBE: 91662; 3901PHSPTD	ea		2	-	-	-	*	2	2	26	21	5-10	XV2, XV3
A	H	R								C	33 BOARD, ETCHED CIRCUIT: 28569; 2420-625	ea		1									5-11	A2
P	H									D	34 CAPACITOR, VARIABLE: 72982; SK-1549-01-000	ea		1	-	-	-	*	*	2	8	5	5-11	C20

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5910-822-5683							D	35 CAPACITOR, FIXED, CERAMIC: SAME AS 4	ea		9									5-11	C21, C22, C25, C26, C27, C30, C33, C34, C35
P	H		5910-823-1068							D	36 CAPACITOR, FIXED, CERAMIC: 81349; CK62AW472M	ea		2	-	-	-	*	2	2	16	12	5-11	C23, C24
P	H		5910-578-5543							D	37 CAPACITOR, VARIABLE, CERAMIC: 81349; CV11B200	ea		1	-	-	-	*	2	2	18	15	5-11	C31
P	H		5910-816-6613							D	38 CAPACITOR, FIXED, MICA: 81349; CM15C470JN3	ea		1	-	-	-	*	2	2	16	12	5-11	C32
P	H		5950-812-2760							D	39 COIL, RADIOFREQUENCY: 81349; MS75008-15	ea		2	-	-	-	*	2	2	13	10	5-11	L13, L16
P	H		5950-776-1118							D	40 COIL, RADIOFREQUENCY: SAME AS 12	ea		2									5-11	L14, L17
X2	H									D	41 COIL, RADIOFREQUENCY	ea		2									5-11	L15, L18
P	H		5950-957-3013							D	42 COIL, RADIOFREQUENCY: SAME AS 9	ea		2									5-11	L19, L20
P	H		5950-754-9896							D	43 COIL, RADIOFREQUENCY: SAME AS 10	ea		2									5-11	L21, L22
P	H		5905-683-5580							D	44 RESISTOR, FIXED, FILM: 81349; RN65B75R0F	ea		2	-	-	-	*	2	2	13	10	5-11	R45, R61
P	H		5905-752-3621							D	45 RESISTOR, FIXED, FILM: 81349; RN65B3570F	ea		2	-	-	-	*	2	2	13	10	5-11	R46, R62
P	H		5905-951-1478							D	46 RESISTOR, FIXED, FILM: SAME AS 19	ea		2									5-11	R47, R63
P	H		5905-802-6730							D	47 RESISTOR, FIXED, COMPOSITION: 81349; RC07GF470K	ea		2	-	-	-	*	2	2	13	10	5-11	R48, R64

(1) SOURCE CD (A)	MAINT. CD (B)	REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-553-9299							D	48 RESISTOR, FIXED, FILM: 81349; RN75B3011F	ea		4	-	-	-	*	2	2	21	20	5-11	R49, R51, R65, R66
P	H		5905-503-9138							D	49 RESISTOR, FIXED, FILM: 81349; RN70B1503F	ea		4	-	-	-	*	2	2	21	20	5-11	R50, R52, R67, R68
P	H		5905-683-2242							D	50 RESISTOR, FIXED, COMPOSITION: 81349; RC07GF471J	ea		2	-	-	-	*	2	2	13	10	5-11	R53, R69
P	H		5905-063-5790							D	51 RESISTOR, FIXED, COMPOSITION: 81349; RL20AD113J	ea		1	-	-	-	*	*	2	8	5	5-11	R54
P	H		5905-542-9113							D	52 RESISTOR, FIXED, FILM: 81349; RN70B5112F	ea		2	-	-	-	*	2	2	13	10	5-11	R55, R70
P	H		5905-556-3744							D	53 RESISTOR, FIXED, FILM: 81349; RN70B6492F	ea		2	-	-	-	*	2	2	13	10	5-11	R56, R71
P	H		5905-683-7721							D	54 RESISTOR, FIXED, COMPOSITION: 81349; RC07GF101J	ea		2	-	-	-	*	2	2	13	10	5-11	R77, R83
P	H		5905-817-7971							D	55 RESISTOR, FIXED, COMPOSITION: 81349; RC07GF100J	ea		4	-	-	-	*	2	2	21	20	5-11	R78, R79, R84, R85
P	H		5905-882-0069							D	56 RESISTOR, FIXED, COMPOSITION: 81349; RL32AD561J	ea		2	-	-	-	*	2	2	13	10	5-11	R80, R86
P	H									D	57 RESISTOR, FIXED, FILM: 14674; LPI-3-5K-5%	ea		2	-	-	-	*	2	2	21	20	5-11	R89, R92
P	H		5905-727-8001							D	58 RESISTOR, FIXED, COMPOSITION: 81349; RC07GF681J	ea		2	-	-	-	*	2	2	21	20	5-11	R90, R93

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-279-1876							D	59 RESISTOR, FIXED, COMPOSITION: SAME AS 23	ea		2									5-11	R91, R94
P	H		5905-279-3494							D	60 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF823J	ea		1	-	-	-	*	2	2	13	10	5-11	R97
P	H		5905-279-2515							D	61 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF474J	ea		1	-	-	-	*	2	2	27	25	5-11	R98
P	O		5960-681-9596							D	62 ELECTRON TUBE: SAME AS 30	ea		6									5-11	V6, V7, V10, V11, V12, V13
P	O		6240-539-8959							D	63 LAMP, GLOW: 80063; SM-A-189591	ea		2	-	-	-	2	4	8	107	800	5-11	V8, V9
P	H		5935-951-1441							D	64 SOCKET, ELECTRON TUBE: SAME AS 32	ea		3									5-11	XV6, XV12, XV13
P	H									D	65 SOCKET, ELECTRON TUBE: SAME AS 31	ea		3									5-11	XV7, XV10, XV11
A	H	R								C	66 BOARD, ETCHED CIRCUIT: 28569; 2420-628	ea		1									5-12	A3
P	H		5910-578-1623							D	67 CAPACITOR, VARIABLE, CERAMIC: 81349; CV11C450	ea		2	-	-	-	2	2	3	31	30	5-12	C28, C29
P	H		5905-557-2422							D	68 RESISTOR, FIXED, FILM: 81349; RN75B4991F	ea		4	-	-	-	*	2	2	21	20	5-12	R75, R76, R81, R82
A	H	R								C	69 SWITCH ASSEMBLY: 28569; 19915-630	ea		1									5-13	A100
P	H		5910-822-5682							D	70 CAPACITOR, FIXED, CERAMIC: 81349; CK62BX102K	ea		1	-	-	-	*	2	2	26	21	5-13	C103

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5910-822-5683							D	71 CAPACITOR, FIXED, CERAMIC: SAME AS 4	ea		1									5-13	C104
P	H		5905-192-3982							D	72 RESISTOR, FIXED, COMPOSITION: SAME AS 15	ea		1									5-13	R103
P	H		5905-279-2515							D	73 RESISTOR, FIXED, COMPOSITION: SAME AS 61	ea		1									5-13	R104
X1										D	74 RESISTOR, VARIABLE: 71450; type HS-90	ea		1									5-13	R105
P	H		5905-295-3410							D	75 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF473K	ea		1	-	-	-	2	2	3	33	35	5-13	R106
P	H									D	76 SWITCH, ROTARY: 71590; PPA033-058	ea		1	-	-	-	*	*	2	8	5	5-13	S102
A	H	R								C	77 BOARD ASSEMBLY, ETCHED CIRCUIT: 28569; 2420-623	ea		1									5-14	A101
P	H		5910-823-1068							D	78 CAPACITOR, FIXED, CERAMIC: SAME AS 36	ea		1									5-14	C102
P	H		5910-841-1341							D	79 CAPACITOR, FIXED, MICA: 81349; CM15D241JN3	ea		1	-	-	-	*	*	*	5	3	5-14	C105
P	H		5910-822-5682							D	80 CAPACITOR, FIXED, CERAMIC: SAME AS 70	ea		3									5-14	C106, C123, C136
P	H		5910-814-3850							D	81 CAPACITOR, FIXED, MICA: 81349; CM15C330JN3	ea		1	-	-	-	*	2	2	13	10	5-14	C107
P	H		5910-823-1203							D	82 CAPACITOR, FIXED, MICA: 81349; CM15C750JN3	ea		1	-	-	-	*	*	*	5	8	5-14	C108

(1) SOURCE CD (A)	MAINT. CD (B)	REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)														
P	H		5910-816-6613							D	83 CAPACITOR, FIXED, MICA: SAME AS 38	ea		2									5-14	C109, C143
P	H		5910-061-7038							D	84 CAPACITOR, FIXED, CERAMIC: 81349; CC22CK2R2C	ea		1	-	-	-	*	*	*	5	8	5-14	C110
P	H		5910-827-4642							D	85 CAPACITOR, FIXED, MICA: 81349; CM15C101JN3	ea		1	-	-	-	*	*	*	5	8	5-14	C114
P	H		5910-822-5683							D	86 CAPACITOR, FIXED, CERAMIC: SAME AS 4	ea		7									5-14	C116, C118, C122, C135, C140, C141, C142
P	H		5910-195-6580							D	87 CAPACITOR, FIXED, CERAMIC: 81349; CC20CH150G	ea		1	-	-	-	*	*	*	5	8	5-14	C117
P	H		5910-826-5466							D	88 CAPACITOR, FIXED, MICA: 81349; CM15D221JN3	ea		1	-	-	-	*	*	*	5	8	5-14	C119
P	H		5910-556-9440							D	89 CAPACITOR, VARIABLE, CERAMIC: 81349; CV11A070	ea		1	-	-	-	*	2	2	13	10	5-14	C121
P	H		5910-666-7164							D	90 CAPACITOR, FIXED, CERAMIC: 76433; MCM15D680JN3	ea		2	-	-	-	*	*	2	10	6	5-14	C124, C133
P	H		5910-820-8442							D	91 CAPACITOR, FIXED, MICA: 81349; CM15D391JN3	ea		1	-	-	-	*	*	*	5	8	5-14	C132
P	H		5910-834-3265							D	92 CAPACITOR, FIXED, MICA: 81349; CM15B100KN3	ea		1	-	-	-	*	*	*	5	8	5-14	C134
P	H		5910-701-9100							D	93 CAPACITOR, FIXED, CERAMIC: SAME AS 5	ea		3									5-14	C137, C139, C144
P	O		5960-814-0768							D	94 SEMICONDUCTOR DEVICE, DIODE: 81349; 1N3064	ea		3	-	-	-	*	2	2	22	20	5-14	CR101, CR102, CR104

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE — (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	O		596 -852-7549							D	95 SEMICONDUCTOR DEVICE, DIODE: 81349; 1N754A	ea		1	-	-	-	*	2	2	18	15	5-14	CR103
P	H		5950-802-1805							D	96 COIL, RADIOFREQUENCY: 81349; MS75008-8	ea		1	-	-	-	*	*	2	8	5	5-14	L101
P	H		5950-681-6636							D	97 COIL, RADIOFREQUENCY: 81349; MS75008-19	ea		2	-	-	-	*	2	2	13	10	5-14	L102, L103
P	H		5905-252-4018							D	98 RESISTOR, FIXED, COMPOSITION: SAME AS 14	ea		19									5-14	R107, R108, R117, R122, R124, R136, R140, R143, R150, R151, R154, R155, R167, R173, R175, R181, R186, R187, R189
P	H		5905-804-6099							D	99 RESISTOR, FIXED, FILM: 14674; LPI-5-30K-10%	ea		2	-	-	-	*	2	2	21	20	5-14	R109, R152
P	H		5905-299-2059							D	100 RESISTOR, FIXED, COMPOSITION: 81349; RC32GF332J	ea		1	-	-	-	*	*	2	8	5	5-14	R110
P	H		5905-299-1541							D	101 RESISTOR, FIXED, COMPOSITION: SAME AS 21	ea		2									5-14	R111, R112
P	H									D	102 RESISTOR, FIXED, FILM: SAME AS 16	ea		1									5-14	R113
P	H		5905-192-3982							D	103 RESISTOR, FIXED, COMPOSITION: SAME AS 15	ea		2									5-14	R115, R133
P	H		5905-279-2515							D	104 RESISTOR, FIXED, COMPOSITION: SAME AS 61	ea		3									5-14	R116, R137, R157
P	H		5905-556-3339							D	105 RESISTOR, FIXED, FILM: 81349; RN70B6980F	ea		1	-	-	-	*	*	2	8	5	5-14	R118

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-539-3838							D	106 RESISTOR, FIXED, FILM: 81349; RN70B2493F	ea		2	-	-	-	*	2	2	21	20	5-14	R119, R141
P	H		5905-852-8629							D	107 RESISTOR, FIXED, FILM: 14674; LPI-4-11K-5%	ea		1	-	-	-	*	*	2	8	5	5-14	R120
P	H		5905-504-5799							D	108 RESISTOR, FIXED, FILM: 81349; RN70B4993F	ea		3	-	-	-	*	2	2	13	10	5-14	R121, R148, R149
P	H		5905-279-1757							D	109 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF152J	ea		2	-	-	-	*	2	2	13	10	5-14	R123, R125
P	H		5905-804-6100							D	110 RESISTOR, FIXED, FILM: 14674; LPI-5-12K-5%	ea		1	-	-	-	*	*	2	8	5	5-14	R130
P	H		5905-852-4476							D	111 RESISTOR, FIXED, FILM: 14674; LPI-5-15K-5%	ea		1	-	-	-	*	*	2	8	5	5-14	R131
P	H		5905-279-1876							D	112 RESISTOR, FIXED, COMPOSITION: SAME AS 23	ea		2									5-14	R132, R158
P	H		5905-171-1976							D	113 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF153K	ea		3	-	-	-	*	2	2	18	15	5-14	R135, R138, R179
P	H		5905-552-2442							D	114 RESISTOR, FIXED, FILM: 81349; RN70B1003F	ea		2	-	-	-	*	2	2	13	10	5-14	R139, R170
P	H									D	115 RESISTOR, FIXED, FILM: SAME AS 57	ea		1									5-14	R142
P	H		5905-257-0937							D	116 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF472J	ea		1	-	-	-	*	2	2	21	20	5-14	R144
P	H		5905-279-2528							D	117 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF682J	ea		1	-	-	-	*	*	2	8	5	5-14	R145

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. PL. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-581-1645							D	118 RESISTOR, FIXED, FILM: 81349; RN70B1651F	ea		1	-	-	-	*	*	2	8	5	5-14	R146
P	H		5905-279-3494							D	119 RESISTOR, FIXED, COMPOSITION: SAME AS 60	ea		1									5-14	R147
P	H		5905-537-6742							D	120 RESISTOR, FIXED, COMPOSITION: SAME AS 18	ea		1									5-14	R153
P	H		5905-279-2668							D	121 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF135J	ea		1	-	-	-	*	2	2	18	15	5-14	R156
P	H		5905-259-2990							D	122 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF226J	ea		1	-	-	-	*	*	2	8	5	5-14	R165
P	H		5905-192-0667							D	123 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF224J	ea		1	-	-	-	*	2	2	13	10	5-14	R168
P	H		5905-983-5819							D	124 RESISTOR, FIXED, FILM: 81349; RN75C2522D	ea		1	-	-	-	*	*	2	8	5	5-14	R169
P	H		5905-552-0614							D	125 RESISTOR, FIXED, FILM: 81349; RN75B1742F	ea		1	-	-	-	*	*	2	8	5	5-14	R171
P	H		5905-195-6806							D	126 RESISTOR, FIXED, COMPOSITION: SAME AS 25	ea		1									5-14	R172
P	H		5905-577-7506							D	127 RESISTOR, FIXED, FILM: 81349; RN65B7152F	ea		1	-	-	-	*	*	2	8	5	5-14	R174
P	H		5905-171-2004							D	128 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF103J	ea		1	-	-	-	*	2	2	13	10	5-14	R176

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP. PL.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-279-2616							D	129 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF153J	ea		1	-	-	-	*	*	2	8	5	5-14	R177
P	H		5905-740-0541							D	130 RESISTOR, VARIABLE: 81349; RV4LAYSA253A	ea		1	-	-	-	*	2	2	27	25	5-14	R178
P	H		5905-171-1986							D	131 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF563J	ea		1	-	-	-	*	2	2	27	30	5-14	R180
P	H		5905-279-2527							D	132 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF223J	ea		1	-	-	-	*	*	2	8	5	5-14	R182
P	H		5905-190-8889							D	133 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF101J	ea		2	-	-	-	*	2	2	21	20	5-14	R188, R190
P	O		5960-681-9596							D	134 ELECTRON TUBE: SAME AS 30	ea		8									5-14	V101, V103, V104, V105, V107, V113, V114, V115
P	O		6240-539-8959							D	135 LAMP, GLOW: SAME AS 63	ea		4									5-14	V102, V110, V111, V116
P	H		5960-615-0243							D	135A ELECTRON TUBE: 81349; 6CL6	ea		1	-	-	-	13	30	57	673	400	5-14	V109
P	H									D	136 SOCKET, ELECTRON TUBE: SAME AS 31	ea		9									5-14	XV101, XV103, XV104, XV105, XV107, XV109, XV113, XV114, XV115
A	H	R								C	137 SWITCH ASSEMBLY: 28569; 19915-631	ea		1									5-15	A102
P	H		5910-822-5683							D	138 CAPACITOR, FIXED, CERAMIC: SAME AS 4	ea		2									5-15	C101, C130

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-295-3410							D	139 RESISTOR, FIXED, COMPOSITION: SAME AS 75	ea		2									5-15	R101, R164
P	H		5905-185-8510							D	139A RESISTOR, FIXED, COMPOSITION: 81349; RC20GF103J	ea		1	-	-	-	*	*	2	8	5	5-15	R102
P	H		5905-171-2004							D	140 RESISTOR, FIXED, COMPOSITION: SAME AS 128	ea		1									5-15	R161
P	H		5905-793-2176							D	141 RESISTOR, VARIABLE: 71450; type VF-90	ea		1	-	-	-	*	*	2	8	5	5-15	R162
P	H		5930-960-0159							D	142 SWITCH, ROTARY: 71590; 9P PA022-2274	ea		1	-	-	-	*	*	2	8	5	5-15	S101
X1										D	143 SWITCH: Part of R162	ea		1									5-15	S103
P	H	R	5930-955-2266							C	144 SWITCH ASSEMBLY: 28569; 19915-627	ea		1	-	-	-	*	*	*	5	3	5-16	A200
P	H		5905-793-3064							D	145 RESISTOR, VARIABLE: 71450; type RGC-90	ea		1	-	-	-	*	*	2	8	5	5-16	R209
P	H		5905-299-2049							D	146 RESISTOR, FIXED, COMPOSITION: 81349; RC32GF561J	ea		1	-	-	-	*	*	2	8	5	5-16	R210
P	H		5905-581-1527							D	147 RESISTOR, FIXED, FILM: 81349; RN70B1182F	ea		1	-	-	-	*	2	2	13	10	5-16	R233
P	H		5905-957-0446							D	148 RESISTOR, FIXED, FILM: 81349; RN70C3611D	ea		1	-	-	-	*	2	2	13	10	5-16	R234
P	H									D	149 RESISTOR, FIXED, FILM: 19701; type CF1/2-2120, 1%	ea		1	-	-	-	*	*	2	8	5	5-16	R235

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-990-9556							D	150 RESISTOR, FIXED, FILM: 81349; RN70C9200D	ea		1	-	-	-	*	*	2	8	5	5-16	R236
P	H		5905-581-7550							D	151 RESISTOR, FIXED, FILM: 81349; RN70B3650F	ea		2	-	-	-	*	2	2	13	10	5-16	R237, R242
P	H		5905-542-9520							D	152 RESISTOR, FIXED, FILM: 81349; RN70B1201F	ea		4	-	-	-	*	2	2	21	20	5-16	R238, R239, R240, R241
P	H		5905-279-3527							D	153 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF470J	ea		1	-	-	-	*	*	2	8	5	5-16	R1023
X1										D	154 SWITCH, ROTARY: 71590; 9P PA650-007	ea		1									5-16	S202
X1										D	155 SWITCH: Part of R209	ea		1									5-16	S203
A	H	R								C	156 BOARD ASSEMBLY, ETCHED CIRCUIT: 28569; 2420-658	ea		1									5-17	A201
P	H		5910-822-5683							D	157 CAPACITOR, FIXED, CERAMIC: SAME AS 4	ea		1									5-17	C206
P	H		5910-701-9100							D	158 CAPACITOR, FIXED, CERAMIC: SAME AS 5	ea		1									5-17	C221
P	H		5905-539-4565				•			D	159 RESISTOR, FIXED, FILM: 81349; RN70B1004F	ea		2	-	-	-	*	2	2	34	35	5-17	R205, R215
P	H		5905-195-6761					•		D	160 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF104J	ea		1	-	-	-	*	2	2	27	25	5-17	R206
P	H		5905-190-8889							D	161 RESISTOR, FIXED, COMPOSITION: SAME AS 133	ea		1									5-17	R207

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)														
P	H		5905-171-1976							D	162 RESISTOR, FIXED, COMPOSITION: SAME AS 113	ea		1									5-17	R208
P	H		5905-252-4018							D	163 RESISTOR, FIXED, COMPOSITION: SAME AS 14	ea		4									5-17	R214, R218, R224, R277
P	H		5905-279-2675							D	164 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF333J	ea		1	-	-	-	*	*	2	8	5	5-17	R217
P	H									D	165 RESISTOR, FIXED, FILM: 14674; LPI-3-8.2K-5%	ea		2	-	-	-	*	2	2	13	10	5-17	R221, R222
P	H		5960-681-9596							D	166 ELECTRON TUBE: SAME AS 30	ea		2									5-17	V201, V202
P	H									D	167 SOCKET, ELECTRON TUBE: SAME AS 31	ea		2									5-17	XV201, XV202
A	H	R								C	168 BOARD ASSEMBLY, ETCHED CIRCUIT: 28569; 2420-657	ea		1									5-18	A202
P	H		5910-578-1623							D	169 CAPACITOR, VARIABLE, CERAMIC: SAME AS 67	ea		2									5-18	C211, C213
X2	H									D	170 SLEEVE, CAPACITOR	ea		2									5-18	C212, C214
P	H		5910-825-1637							D	171 CAPACITOR, FIXED, PAPER DIELECTRIC: 81349; CP05A1KE104K3	ea		1	-	-	-	*	2	2	13	10	5-18	C215
P	H		5910-578-5543							D	172 CAPACITOR, VARIABLE, CERAMIC: SAME AS 37	ea		1									5-18	C216
P	H		5910-807-5570							D	173 CAPACITOR, FIXED, PAPER: 81349; CP09A1KF104K3	ea		1	-	-	-	*	2	2	13	10	5-18	C222
P	H		5950-809-4459							D	174 COIL, RADIOFREQUENCY: 95265; TB5500-I	ea		2	-	-	-	*	2	2	13	10	5-18	L201, L202

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5961-062-2320							D	175 TRANSISTOR: 81349; 2N2084	ea		2	-	-	-	*	2	2	30	30	5-18	Q201, Q202
P	H		5905-195-6761							D	176 RESISTOR, FIXED, COMPOSITION: SAME AS 160	ea		2									5-18	R244, R264
P	H		5905-542-9199							D	177 RESISTOR, FIXED, FILM: 19701; DC1 30.5K, 1%	ea		2	-	-	-	*	2	2	13	10	5-18	R245, R259
P	H		5905-715-6356							D	178 RESISTOR, FIXED, FILM	ea		2	-	-	-	*	2	2	13	10	5-18	R246, R260
P	H		5905-088-1170							D	179 RESISTOR, FIXED, FILM: 81349; RN70C1113D	ea		1	-	-	-	*	2	2	13	10	5-18	R247
P	H		5905-841-7469							D	180 RESISTOR, FIXED, FILM: 19701; DC1 25.5K, 1%	ea		2	-	-	-	*	2	2	13	10	5-18	R248, R251
P	H		5905-252-4018							D	181 RESISTOR, FIXED, COMPOSITION: SAME AS 14	ea		6									5-18	R249, R253, R256, R257, R266, R269
P	H									D	182 RESISTOR, FIXED, FILM: 19701; DC1 9090, 1%	ea		2	-	-	-	*	2	2	13	10	5-18	R250, R252
P	H		5905-185-8516							D	183 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF103J	ea		2	-	-	-	*	2	2	21	20	5-18	R254, R255
P	H		5905-192-0667							D	184 RESISTOR, FIXED, COMPOSITION: SAME AS 123	ea		1									5-18	R258
P	H		5905-722-0136							D	185 RESISTOR, FIXED, FILM: 14674; LPI-7-2K-5%	ea		1	-	-	-	*	*	2	8	5	5-18	R267
P	H		5905-257-0926							D	186 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF332K	ea		2	-	-	-	*	2	2	13	10	5-18	R268, R278
P	H		5905-279-1890							D	187 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF391J	ea		1	-	-	-	*	*	2	8	5	5-18	R271

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-279-1880							D	188 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF272J	ea		1	-	-	-	*	2	2	18	15	5-18	R272
P	H		5905-195-6451							D	189 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF472K	ea		1	-	-	-	*	2	2	18	15	5-18	R273
P	H		5905-257-0937							D	190 RESISTOR, FIXED, COMPOSITION: SAME AS 116	ea		2									5-18	R274, R275
P	H		5905-249-4190							D	191 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF562J	ea		1	-	-	-	*	*	2	8	5	5-18	R276
P	O		5960-681-9596							D	192 ELECTRON TUBE: SAME AS 30	ea		2									5-18	V203, V206
P	H		5960-615-0243							D	193 ELECTRON TUBE: SAME AS 135A	ea		3									5-18	V204, V205, V207
P	H									D	194 SOCKET, ELECTRON TUBE: SAME AS 31	ea		5									5-18	XV203, XV204, XV205, XV206, XV207
A	H	R								C	195 BOARD ASSEMBLY, ETCHED CIRCUIT: 28569; 2420-659	ea		1									5-19	A203
P	H		5910-578-1623							D	196 CAPACITOR, VARIABLE, CERAMIC: SAME AS 67	ea		2									5-19	C201, C207
P	H		5910-556-9440							D	197 CAPACITOR, VARIABLE, CERAMIC: SAME AS 89	ea		1									5-19	C204
P	H		5910-816-6613							D	198 CAPACITOR, FIXED, MICA: SAME AS 38	ea		1									5-19	C205
P	H		5905-539-3838							D	199 RESISTOR, FIXED, FILM: SAME AS 106	ea		2									5-19	R201, R213

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-518-5609							D	200 RESISTOR, VARIABLE: 81349; RV4LAYSA105A	ea		2	-	-	-	*	2	2	13	10	5-19	R202, R212
P	H		5905-990-8727							D	201 RESISTOR, FIXED, FILM: 81349; RN70C8983D	ea		1	-	-	-	*	2	2	18	15	5-19	R203
P	H		5905-088-1170							D	202 RESISTOR, FIXED, FILM: SAME AS 179	ea		1									5-19	R204
P	H	R	5930-955-0723							C	203 SWITCH ASSEMBLY: 28569; 19915-629	ea		1	-	-	-	*	*	*	5	3	5-20	A300
P	H		5905-185-8490							D	204 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF475J	ea		1	-	-	-	*	*	2	8	5	5-20	R341
P	H		5905-552-3521							D	205 RESISTOR, FIXED, FILM: 81349; RN70B2001F	ea		1	-	-	-	*	2	2	18	15	5-20	R343
P	H		5905-581-1527							D	206 RESISTOR, FIXED, FILM: SAME AS 147	ea		1									5-20	R344
P	H		5905-556-3336							D	207 RESISTOR, FIXED, FILM: 81349; RN70B6191F	ea		1	-	-	-	*	*	2	8	5	5-20	R345
P	H		5905-957-0445							D	208 RESISTOR, FIXED, FILM: 81349; RN70C2031D	ea		1	-	-	-	*	*	2	8	5	5-20	R346
P	H		5905-581-7467							D	209 RESISTOR, FIXED, FILM: 81349; RN70B1021F	ea		1	-	-	-	*	*	2	8	5	5-20	R347
P	H		5905-954-9088							D	210 RESISTOR, FIXED, FILM: 81349; RN70C5970D	ea		1	-	-	-	*	*	2	8	5	5-20	R348
P	H		5905-542-9383							D	211 RESISTOR, FIXED, FILM: 81349; RN70B2000F	ea		1	-	-	-	*	2	2	13	10	5-20	R349

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)														
P	H		5905-552-3893							D	212 RESISTOR, FIXED, FILM: 81349; RN70B1000F	ea		1	-	-	-	*	*	2	8	5	5-20	R350
P	H		5905-552-6140							D	213 RESISTOR, FIXED, FILM: 81349; RN70B60R4F	ea		1	-	-	-	*	*	2	8	5	5-20	R351
P	H		5905-581-1678							D	214 RESISTOR, FIXED, FILM: 81349; RN70B40R2F	ea		1	-	-	-	*	*	2	8	5	5-20	R352
X1										D	215 SWITCH, ROTARY: 71590; 9P PA022-2273	ea		1									5-20	S302
A	H	R								C	216 BOARD ASSEMBLY, ETCHED CIRCUIT: 28569; 2420-626	ea		1									5-21	A301
P	H		5910-807-5570							D	217 CAPACITOR, FIXED, PAPER: SAME AS 173	ea		2									5-21	C301, C306
P	H		5910-701-9100							D	218 CAPACITOR, FIXED, CERAMIC: SAME AS 5	ea		1									5-21	C302
P	H		5910-879-4764							D	219 CAPACITOR, FIXED, PAPER: 81349; CP05A1KC104K3	ea		1	-	-	-	*	*	2	8	5	5-21	C303
P	H		5910-883-4781							D	220 CAPACITOR, FIXED, CERAMIC: 81349; CK63BX222K	ea		1	-	-	-	*	2	2	16	12	5-21	C304
P	H		5910-823-1068							D	221 CAPACITOR, FIXED, CERAMIC: SAME AS 36	ea		1									5-21	C305
P	H		5910-822-5683							D	222 CAPACITOR, FIXED, CERAMIC: SAME AS 4	ea		1									5-21	C307
P	H		5910-814-3850							D	223 CAPACITOR, FIXED, MICA: SAME AS 81	ea		2									5-21	C319, C320
P	H		5950-802-0913							D	224 COIL, RADIOFREQUENCY: 81349; MS16223-21	ea		2	-	-	-	*	2	2	13	10	5-21	L301, L302

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-279-2527							D	225 RESISTOR, FIXED, COMPOSITION: SAME AS 132	ea		1									5-21	R301
P	H		5905-195-6761							D	226 RESISTOR, FIXED, COMPOSITION: SAME AS 160	ea		1									5-21	R302
P	H		5905-254-7110							D	227 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF124J	ea		1	-	-	-	*	*	2	8	5	5-21	R303
P	H		5905-252-4018							D	228 RESISTOR, FIXED, COMPOSITION: SAME AS 14	ea		3									5-21	R304, R337, R339
P	H		5905-279-1881							D	229 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF275J	ea		1	-	-	-	*	*	2	8	5	5-21	R306
P	H		5905-279-1933							D	230 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF221J	ea		1	-	-	-	*	*	2	8	5	5-21	R307
P	H		5905-195-6451							D	231 RESISTOR, FIXED, COMPOSITION: SAME AS 189	ea		1									5-21	R308
P	H		5905-185-8510							D	232 RESISTOR, FIXED, COMPOSITION: SAME AS 139A	ea		1									5-21	R309
P	H		5905-295-3410							D	233 RESISTOR, FIXED, COMPOSITION: SAME AS 75	ea		1									5-21	R310
P	H		5905-185-8516							D	234 RESISTOR, FIXED, COMPOSITION: SAME AS 183	ea		1									5-21	R335
P	H		5905-257-0937							D	235 RESISTOR, FIXED, COMPOSITION: SAME AS 116	ea		1									5-21	R336

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1—20	DS (B) 21—50	DS (C) 51—100	GS (A) 1—20	GS (B) 21—50	GS (C) 51—100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-279-2504							D	236 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF156J	ea		1	-	-	-	*	*	2	8	5	5-21	R338
P	H		5905-279-1865							D	237 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF106J	ea		1	-	-	-	*	*	2	8	5	5-21	R340
P	H		5905-804-6095							D	238 RESISTOR, FIXED, FILM: 14674; LPI-5-33K-5%	ea		1	-	-	-	*	*	2	8	5	5-21	R342
P	O		5960-681-9596							D	239 ELECTRON TUBE: SAME AS 30	ea		2									5-21	V301, V306
P	O		6240-539-8959							D	240 LAMP, GLOW: SAME AS 63	ea		2									5-21	V302, V303
P	O		5960-669-6861							D	241 ELECTRON TUBE: 81349; 6005/6AQ5W	ea		1	-	-	-	2	3	6	70	100	5-21	V304
P	O		5960-262-0185							D	242 ELECTRON TUBE: 81349; 5726/6AL5W	ea		1	-	-	-	2	3	6	70	100	5-21	V307
P	H									D	243 SOCKET, ELECTRON TUBE: SAME AS 31	ea		2									5-21	XV301, XV306
P	H									D	244 SOCKET, ELECTRON TUBE: 91662; 3708-2-2	ea		2	-	-	-	*	2	2	13	10	5-21	XV304, XV307
A	H	R								C	245 BOARD ASSEMBLY, ETCHED CIRCUIT: 28569; 2420-627	ea		1									5-22	A302
P	H		5910-964-5320							D	246 CAPACITOR, FIXED, PLASTIC: 81349; CQ22A1SL682A	ea		1	-	-	-	*	*	2	8	5	5-22	C314
P	H		5910-964-5319							D	247 CAPACITOR, FIXED, PLASTIC: 81349; CQ20A1KL152K	ea		1	-	-	-	*	*	2	.8	5	5-22	C315
P	H		5910-806-0176							D	248 CAPACITOR, FIXED, PLASTIC: 81349; CQ22A1SL472K	ea		1	-	-	-	*	*	2	8	5	5-22	C316

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5910-821-4481							D	249 CAPACITOR, FIXED, MICA: 81349; CM15C220JN3	ea		1	-	-	-	*	*	2	10	6	5-22	C317
P	H		5960-686-7247							D	250 SEMICONDUCTOR DEVICE, DIODE: 81349; 1N540	ea		1	-	-	-	*	2	2	8	5	5-22	CR301
P	H		5905-204-8922							D	251 RESISTOR, FIXED, COMPOSITION: 81349; RC32GF116J	ea		3	-	-	-	*	2	2	18	15	5-22	R313, R314, R315
P	H		5905-279-3948							D	252 RESISTOR, FIXED, COMPOSITION: 81349; RC32GF475K	ea		2	-	-	-	*	2	2	27	25	5-22	R322, R323
P	H		5905-279-1955							D	253 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF155J	ea		1	-	-	-	*	*	2	8	5	5-22	R326
P	H		5905-279-1719							D	254 RESISTOR, FIXED, COMPOSITION: 81349; RC32GF103J	ea		1	-	-	-	*	*	2	8	5	5-22	R327
P	H		5905-295-3410							D	255 RESISTOR, FIXED, COMPOSITION: SAME AS 75	ea		1									5-22	R328
P	H		5905-299-1987							D	256 RESISTOR, FIXED, COMPOSITION: 81349; RC32GF395J	ea		3	-	-	-	*	2	2	18	15	5-22	R331, R332, R333
P	H		5905-192-3982							D	257 RESISTOR, FIXED, COMPOSITION: SAME AS 15	ea		1									5-22	R334
P	H		5905-171-1998							D	258 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF333J	ea		3	-	-	-	2	3	5	54	60	5-22	R355, R365, R366
P	H		5905-171-1986							D	259 RESISTOR, FIXED, COMPOSITION: SAME AS 131	ea		1									5-22	R356

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	UNIT OF ISSUE (4)	QTY INC IN UN PK (5)	QTY INC IN UNIT (6)	30 DAY MAINT. ALW. (7) DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	1 YR. ALW. PER 100 EQUIP. CNTGCY PL. (8)	DEPOT MAINT. ALW. PER 100 EQUIP. (9)	ILLUSTRATIONS (10) (A) FIGURE NUMBER	ILLUSTRATIONS (10) (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-190-8885							D	260 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF225J	ea		1	-	-	-	*	*	2	8	5	5-22	R357
P	H		5905-552-6097							D	261 RESISTOR, FIXED, FILM: 81349; RN70B4533F	ea		1	-	-	-	*	*	2	8	5	5-22	R358
P	H		5905-539-4111							D	262 RESISTOR, FIXED, FILM: 81349; RN70B4023F	ea		1	-	-	-	*	*	2	8	5	5-22	R359
P	H		5905-279-3497							D	263 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF393J	ea		2	-	-	-	*	2	2	13	10	5-22	R360, R362
P	H		5915-960-4307							C	264 FILTER ASSEMBLY: 28569; 6265-19	ea		1	-	-	-	*	*	2	8	5		A303
P	H		5905-195-6761			1/1				D	264A RESISTOR, FIXED, COMPOSITION: SAME AS 160	ea		1									5-22	R364
A	H	R								C	265 BOARD ASSEMBLY, ETCHED CIRCUIT: 28569; 2420-574	ea		1									5-23	A401
P	H		5910-701-9100							D	266 CAPACITOR, FIXED, CERAMIC: SAME AS 5	ea		3									5-23	C404, C405, C406
P	H		5910-825-1637							D	267 CAPACITOR, FIXED, PAPER: SAME AS 171	ea		1									5-23	C407
P	O		5960-978-7465							D	268 SEMICONDUCTOR DEVICE, DIODE: 81349; 1N1566A	ea		12	-	-	-	2	2	3	54	60	5-23	CR401 thru CR412
A	H	R								C	269 BOARD ASSEMBLY, ETCHED CIRCUIT: 28569; 2420-660	ea		1									5-24	A402

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H									D	270 CAPACITOR, FIXED, PLASTIC: 09134; type 27, .1 uf, ±20%, 600 v	ea		3	-	-	-	*	*	2	8	5	5-24	C409, C412, C417
P	H		5910-822-5683							D	271 CAPACITOR, FIXED, CERAMIC: SAME AS 4	ea		1									5-24	C418
P	H		5910-854-7216							D	272 CAPACITOR, FIXED, ELECTROLYTIC: 81349; CL65BK200MP3	ea		1	-	-	-	*	*	2	8	5	5-24	C419
P	H		5910-825-1637							D	273 CAPACITOR, FIXED, PAPER: SAME AS 171	ea		1									5-24	C426
P	O		5960-852-7549							D	274 SEMICONDUCTOR DEVICE, DIODE: SAME AS 95	ea		2									5-24	CR413, CR416
P	O		5961-883-5305							D	275 TRANSISTOR: 81349; 2N652A	ea		10	-	-	-	2	2	3	46	50	5-24	Q401, Q402, Q406, Q407, Q408, Q410, Q411, Q412, Q414, Q415
P	H		5905-804-6099							D	276 RESISTOR, FIXED, FILM: SAME AS 99	ea		1									5-24	R408
P	H		5905-190-8889							D	277 RESISTOR, FIXED, COMPOSITION: SAME AS 133	ea		1									5-24	R409
P	H									D	278 RESISTOR, FIXED, FILM: 14674; LPI-5-20K-5%	ea		2	-	-	-	*	2	2	13	10	5-24	R410, R412
P	H		5905-279-1972							D	279 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF113J	ea		1	-	-	-	*	*	2	8	5	5-24	R413
P	H		5905-975-1293							D	280 RESISTOR, FIXED, FILM: 81349; RL32AD134J	ea		1	-	-	-	*	*	2	8	5	5-24	R415

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP. PL.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-814-1178							D	281 RESISTOR, FIXED, FILM: 81349; RL20AD511J	ea		2	-	-	-	*	2	2	13	10	5-24	R416, R435
P	H		5905-192-4490							D	282 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF330J	ea		1	-	-	-	*	*	2	8	5	5-24	R417
P	H		5905-192-3971							D	283 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF331J	ea		1	-	-	-	*	*	2	8	5	5-24	R425
P	H		5905-299-2020							D	284 RESISTOR, FIXED, COMPOSITION: 81349; RC32GF273J	ea		2	-	-	-	*	2	2	13	10	5-24	R426, R448
P	H		5905-581-6347							D	285 RESISTOR, FIXED, WIREWOUND: 81349; RW59V180	ea		1	-	-	-	*	*	2	8	5	5-24	R427
P	H									D	286 RESISTOR, FIXED, FILM: SAME AS 16	ea		2									5-24	R428, R450
P	H									D	287 RESISTOR, FIXED, FILM: SAME AS 57	ea		1									5-24	R430
P	H		5905-539-2567							D	288 RESISTOR, VARIABLE: 81349; RV4LAYSA252A	ea		1	-	-	-	*	*	2	8	5	5-24	R431
P	H		5905-299-2011							D	289 RESISTOR, FIXED, COMPOSITION: 81349; RC32GF563J	ea		1	-	-	-	*	*	2	8	5	5-24	R432
P	H		5905-975-1300							D	290 RESISTOR, FIXED, FILM: 81349; RL20AD913J	ea		1	-	-	-	*	*	2	8	5	5-24	R433
P	H		5905-882-0062							D	291 RESISTOR, FIXED, FILM: 81349; RL20AD104J	ea		1	-	-	-	*	*	2	8	5	5-24	R434

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-299-1541							D	292 RESISTOR, FIXED, COMPOSITION: SAME AS 21	ea		2									5-24	R443, R462
P	H		5905-299-2022							D	293 RESISTOR, FIXED, COMPOSITION: 81349; RC32GF223J	ea		1	-	-	-	*	2	2	27	25	5-24	R444
P	H		5905-279-3414							D	294 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF220J	ea		1	-	-	-	*	*	2	8	5	5-24	R445
P	H		5905-975-1273							D	295 RESISTOR, FIXED, FILM: 81349; RL42AD182J	ea		1	-	-	-	*	*	2	8	5	5-24	R446
P	H		5905-279-3503							D	296 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF682J	ea		1	-	-	-	*	*	2	8	5	5-24	R447
P	H		5905-975-1473							D	297 RESISTOR, FIXED, FILM: 81349; RL20AD432J	ea		1	-	-	-	*	*	2	8	5	5-24	R449
P	H		5905-195-6791							D	298 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF681J	ea		1	-	-	-	*	*	2	8	5	5-24	R451
P	H		5905-195-6451							D	299 RESISTOR, FIXED, COMPOSITION: SAME AS 189	ea		1									5-24	R459
P	H		5905-299-2013							D	300 RESISTOR, FIXED, COMPOSITION: 81349; RC32GF473J	ea		1	-	-	-	*	*	2	8	5	5-24	R461
P	H		5905-252-4018							D	301 RESISTOR, FIXED, COMPOSITION: SAME AS 14	ea		1									5-24	R463
P	H		5960-262-0286							D	302 ELECTRON TUBE: 81349; 5651WA	ea		1	-	-	-	2	3	6	70	100	5-24	V401

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H									D	303 SOCKET, ELECTRON TUBE: SAME AS 244	ea		1									5-24	XV401
P	H	R	5930-955-0722							C	304 SWITCH ASSEMBLY: 28569; 19915-628	ea		1	-	-	-	*	*	*	5	3	5-25	A1000
P	H		5910-842-4465							D	305 CAPACITOR, FIXED, PAPER: 81349; CP09A1KC474K3	ea		1	-	-	-	*	*	2	8	5	5-25	C1001
P	H		5910-617-3902							D	306 CAPACITOR, FIXED, PAPER: 81349; CP09A1KC473K3	ea		1	-	-	-	*	*	2	8	5	5-25	C1002
P	H		5910-834-2788							D	307 CAPACITOR, FIXED, MICA: 81349; CM35D472JN3	ea		1	-	-	-	*	*	*	5	3	5-25	C1003
P	H		5910-807-9305							D	308 CAPACITOR, FIXED, MICA: 81349; CM15D471JN3	ea		1	-	-	-	*	*	*	5	3	5-25	C1004
P	H									D	309 CAPACITOR, FIXED, PLASTIC: 81349; CQ05A1VC105J	ea		1	-	-	-	*	*	2	8	5	5-25	C1006
P	H									D	310 CAPACITOR, FIXED, PLASTIC: 81349; CQ05AVC104J	ea		1	-	-	-	*	*	2	8	5	5-25	C1007
P	H									D	311 CAPACITOR, FIXED, PLASTIC: 81349; CQ05A1VC103J	ea		1	-	-	-	*	*	2	8	5	5-25	C1008
P	H		5910-727-0271							D	312 CAPACITOR, FIXED, MICA: 81349; CM20D102GN3	ea		1	-	-	-	*	*	*	5	3	5-25	C1009
P	H		5910-578-1623							D	313 CAPACITOR, VARIABLE, CERAMIC: SAME AS 67	ea		4									5-25	C1010, C1012, C1014, C1016
P	H		5910-889-4777							D	314 CAPACITOR, FIXED, MICA: SAME AS 7	ea		1									5-25	C1011
P	H		5910-807-2595							D	315 CAPACITOR, FIXED, MICA: 81349; CM15C680JN3	ea		1	-	-	-	*	*	*	5	3	5-25	C1013

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5910-821-4481							D	316 CAPACITOR, FIXED, MICA: SAME AS 249	ea		1									5-25	C1015
P	H		5905-279-1883							D	317 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF335J	ea		1	-	-	-	*	*	2	8	5	5-25	R1001
P	H		5905-279-2516							D	318 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF514J	ea		1	-	-	-	*	*	2	8	5	5-25	R1005
P	H		5905-552-3522							D	319 RESISTOR, FIXED, FILM: 81349; RN70B1823F	ea		1	-	-	-	*	2	2	27	25	5-25	R1006
P	H		5905-957-0444							D	320 RESISTOR, FIXED, FILM: 81349; RN70C1603D	ea		1	-	-	-	*	*	2	8	5	5-25	R1007
P	H		5905-783-8818							D	321 RESISTOR, VARIABLE: 71450; type RGC-90	ea		1	-	-	-	*	*	2	8	5	5-25	R1009
P	H		5905-975-4350							D	322 RESISTOR, FIXED, FILM: 81349; RL32AD183J	ea		1	-	-	-	*	*	2	8	5	5-25	R1010
P	H		5905-279-5621							D	323 RESISTOR, FIXED, FILM: 19701; type DC2 36 megohm, 1%	ea		1	-	-	-	*	*	2	8	5	5-25	R1011
P	H		5905-549-9045							D	324 RESISTOR, FIXED, FILM: 19701; type DC1 9 megohm, 1%	ea		2	-	-	-	*	2	2	13	10	5-25	R1012, R1013
P	H		5905-542-9461							D	325 RESISTOR, FIXED, FILM: 19701; type CF1/2 3.6 megohm, 1%	ea		1	-	-	-	*	*	2	8	5	5-25	R1014
P	H		5905-990-8727							D	326 RESISTOR, FIXED, FILM: SAME AS 201	ea		2									5-25	R1015, R1016

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-957-0447							D	327 RESISTOR, FIXED, FILM: 81349; RN70C3613D	ea		1	-	-	-	*	*	2	8	5	5-25	R1017
P	H		5905-062-6300							D	328 RESISTOR, FIXED, FILM: 81349; RN70C8982D	ea		3	-	-	-	*	2	2	18	15	5-25	R1018, R1019, R1020
P	H		5905-279-3513							D	329 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF221J	ea		1	-	-	-	*	*	2	8	5	5-25	R1021
X1			.							D	330 SWITCH, ROTARY: 71590; 9P PA670-019	ea		1									5-25	S1001
P1	H		6105-786-6636							C	331 MOTOR, DIRECT CURRENT: 62119; 8-088	ea		1	-	-	-	*	*	2	8	5	5-7	B401
P1	H		4140-684-6038							C	332 BLADE, FAN: 60380; OUH-731-5	ea		1	-	-	-	*	*	*	5	3	5-9	B401A
P	H									C	333 CAPACITOR, FIXED, PLASTIC: SAME AS 270	ea		1									7-1	C202
P	H		5910-686-6603							C	334 CAPACITOR, FIXED, PAPER: 56289; 184P682030	ea		4	-	-	-	*	2	2	21	20	7-2	C308, C311, C312, C313
P	H		5910-686-7165							C	335 CAPACITOR, FIXED, PAPER: 56289; 184P4710100	ea		2	-	-	-	*	2	2	13	10	7-2	C309, C310
P	H		5910-829-1374							C	336 CAPACITOR, FIXED, MICA: 81349; CM30D561JN3	ea		1	-	-	-	*	*	2	5	3	7-1	C318
P	H		5910-809-4773							C	337 CAPACITOR, FIXED, ELECTROLYTIC: 56289; D29405	ea		3	-	-	-	*	2	2	18	15	5-6	C401, C408, C416
P	H		5910-827-0175							C	338 CAPACITOR, FIXED, PAPER: 81349; CP05A1KE105K3	ea		2	-	-	-	*	2	2	13	10	5-9	C402, C410

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5910-820-0702							C	339 CAPACITOR, FIXED, ELECTROLYTIC: 81349; CE41F450R	ea		1	-	-	-	*	*	2	8	5	5-6	C403
P	H		5910-615-9519							C	340 CAPACITOR, FIXED, ELECTROLYTIC: 81349; CE41C500N	ea		2	-	-	-	*	2	2	13	10	5-6	C411, C420
P	H									C	341 CAPACITOR, FIXED, ELECTROLYTIC: 56289; 32D315	ea		1	-	-	-	*	*	2	8	5	5-8	C425
P	O		5960-811-5799							C	342 SEMICONDUCTOR DEVICE, DIODE: 81349; 1N1202	ea		2	-	-	-	*	2	2	13	10	5-6	CR414, CR415
P	H		6625-955-2269							C	343 CABLE, RADIOFREQUENCY: 99109; HH1500A	ea		1	-	-	-	*	*	2	8	5	5-8	DL301
P	O		6240-683-0580							C	344 LAMP, GLOW: 81349; MS25252-NE2D	ea		1	-	-	-	*	2	2	19	100	7-1	DS401
P	O		6240-179-1811							C	345 LAMP, GLOW: 81349; VG-11	ea		1	-	-	-	*	2	2	19	100	5-7	DS402
P	O		6240-155-8706							C	346 LAMP, INCANDESCENT: 81349; MS15571-2, type TB-14	ea		5	-	-	-	2	3	6	71	250	5-5 7-1	DS403 thru DS406 DS1001
P	O		5935-149-3534							C	347 CONNECTOR, ADAPTER UG-273/U	ea		2	-	-	-	*	2	2	13	10	7-1	E1
P	O		5935-683-7892							C	348 CONNECTOR, ADAPTER: 81349; MS35173-274B	ea		2	-	-	-	*	2	2	13	10	7-1	E2
P	O		5935-823-0639							C	349 CONNECTOR, ADAPTER UG-255A/U	ea		2	-	-	-	*	2	2	13	10	7-1	E3
P	O		4935-992-6112							C	350 ADAPTER, CONNECTOR UG-1441/U	ea		2	-	-	-	*	2	2	13	10	7-1	E4

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5935-258-1767							C	351 COVER, ELECTRICAL CONNECTOR CW-123A/U	ea		6	-	-	-	*	2	2	21	18	7-1	E101, E102, E104, E201, E301, E302
P	O		5920-284-7732							C	352 FUSE, CARTRIDGE: 81349; F03A250V8AS	ea		2	-	-	-	4	11	20	242	200	5-7	F401, F402
P	O		5920-281-0224							C	353 FUSE, CARTRIDGE: 81349; F02A250V1/2AS	ea		1	-	-	-	2	6	11	130	100	5-7	F403
P	O		5920-280-4465							C	354 FUSE, CARTRIDGE: 81349; F02A250V1AS	ea		1	-	-	-	2	6	11	130	100	5-6	F404
P	O		5920-284-9494							C	355 FUSE, CARTRIDGE: 81349; F02A250V3/4AS	ea		1	-	-	-	2	6	11	130	100	5-6	F405
P	O		5920-846-5726							C	356 FUSE, CARTRIDGE: 81349; F03B32V10AS	ea		1	-	-	-	2	6	11	130	100	5-7	F406
P	H		5915-809-9638							C	357 FILTER, LINE: 97315; BC4322	ea		1	-	-	-	*	*	2	8	5	5-8	FL401
P	H		5935-201-2353							C	358 CONNECTOR, RECEPTACLE, ELECTRICAL: 02660; 26-4200-16S	ea		1	-	-	-	*	*	2	8	5	5-5	J1
P	H		5935-552-7660							C	359 CONNECTOR, RECEPTACLE, ELECTRICAL UG-625B/U	ea		4	-	-	-	*	2	2	21	20	7-1	J101, J102, J104, J201
P	H		5935-201-6039							C	360 CONNECTOR, RECEPTACLE, ELECTRICAL: 02660; 26-4200-32S	ea		1	-	-	-	*	*	2	8	5	5-8	J105
P	H		5935-892-9035							C	361 CONNECTOR, RECEPTACLE, ELECTRICAL UG-657/U	ea		2	-	-	-	*	2	2	13	10	7-1	J301, J302
P	H		5950-504-6500							C	362 INDUCTOR, CHOKE: 81349; per MIL-T-27A	ea		2	-	-	-	*	2	2	13	10	5-7	L402, L404

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5950-810-0824							C	363 REACTOR: 81349; MIL-T-27A	ea		2	-	-	-	*	2	2	13	10	5-6	L403, L405
P	H		5950-809-4797							C	364 REACTOR: 81349; MIL-T-27A	ea		1	-	-	-	*	*	2	8	5	5-7	L406
P	H		5355-809-9333							C	365 KNOB: 28480; A-G-74-AU	ea		4	-	-	-	*	2	2	28	24	7-1	MP1, MP12, MP13, MP14
P	H		5355-809-9329							C	366 KNOB: 28480; 0370-0084	ea		5	-	-	-	*	2	2	28	24	7-1	MP2, MP3 thru MP6
P	H		5355-784-7003							C	367 KNOB: 28480; G-74Q-PS	ea		4	-	-	-	*	2	2	21	18	7-1	MP7 thru MP10
X2	H									C	368 KNOB	ea		1									7-1	MP11
P	H		5935-337-6510							C	369 CONNECTOR, UG-88C/U	ea		1	-	-	-	*	*	2	8	5		P3
P	H		5935-283-3725							C	370 CONNECTOR, PLUG, ELECTRICAL: 81349; MX-3106E-14S-7S	ea		1	-	-	-	*	*	2	8	5	7-1	P401
P	O		5935-636-7145							C	371 CONNECTOR, PLUG, ELECTRICAL: 81349; UP-121M	ea		1	-	-	-	*	*	2	8	5	7-1	P402
P	O		5960-892-3801							C	372 TRANSISTOR: 81349; 2N457	ea		8	-	-	-	2	2	3	39	40	5-6	Q403, Q404, Q405, Q409, Q413, Q416, Q418, Q419
P	O		5960-679-5290							C	373 TRANSISTOR: 81349; 2N174	ea		1	-	-	-	*	*	2	8	5	5-6	Q417
P	H		5905-503-5984							C	374 RESISTOR, VARIABLE: 81349; RV4LAYSA101A	ea		1	-	-	-	*	*	2	8	5	6-4	R13
P	H		5905-801-5058							C	375 RESISTOR, FIXED, WIREWOUND: 81349; RW29V282	ea		1	-	-	-	*	*	2	8	5	5-5	R38
P	H		5905-957-0591							C	376 RESISTOR, FIXED, FILM: 14674; LPI-7-1.75K-5%	ea		1	-	-	-	*	*	2	8	5	5-5	R87

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-295-3410							C	377 RESISTOR, FIXED, FILM: SAME AS 75	ea		1									5-5	R88
P	H		5905-842-2965							C	378 RESISTOR, FIXED, FILM: 14674; LPI-7-3K-5%	ea		1	-	-	-	*	*	2	8	5	5-5	R95
P	H		5905-549-5382							C	379 RESISTOR, FIXED, WIREWOUND: 81349; RW29V122	ea		1	-	-	-	*	*	2	8	5	5-5	R96
P	H		5905-804-6101							C	380 RESISTOR, FIXED, FILM: 14674; LPI-3-5.6K-5%	ea		1	-	-	-	*	*	2	8	5	5-5	R99
P	H		5905-552-2093							C	381 RESISTOR, VARIABLE: 81349; RV4LAYSA254A	ea		2	-	-	-	*	2	2	13	10	6-5 6-4	R114 R243
P	H		5905-660-6889							C	382 RESISTOR, VARIABLE: 81349; RV4LAYSA503A	ea		1	-	-	-	*	*	2	8	5	6-5	R163
P	H		5905-646-5958							C	383 RESISTOR, VARIABLE: 81349; RV4LAYSA102A	ea		2	-	-	-	*	2	2	13	10	6-5 6-3	R211 R452
P	H		5905-874-6884							C	384 RESISTOR, VARIABLE: 73138; type SC731	ea		1	-	-	-	*	*	2	8	5	7-1	R216
P	H		5905-793-3065							C	385 RESISTOR, VARIABLE: 01121; JD1L040S101MC	ea		1	-	-	-	*	2	2	13	10	6-5	R223A, R223B
P	H		5905-191-4984							C	386 RESISTOR, FIXED, WIREWOUND: 81349; RW33G123	ea		2	-	-	-	*	2	2	13	10	5-9	R265, R270
P	H		5905-577-2830							C	387 RESISTOR, VARIABLE: 81349; RV4LAYSA155A	ea		1	-	-	-	*	*	2	8	5	6-4	R305
P	H		5905-279-3948							C	388 RESISTOR, FIXED, COMPOSITION: SAME AS 252	ea		3									6-9	R316, R317, R318

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP. PL.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-878-3163							C	388A RESISTOR, VARIABLE: 21697; type 37, 5 megohm, 1/2 w	ea		1	-	-	-	*	*	2	8	5	7-1	R324
P	H		5905-295-6366							C	389 RESISTOR, VARIABLE: 21697; type 37	ea		1	-	-	-	*	*	2	8	5	7-1	R330
P	H		5905-646-5706							C	390 RESISTOR, FIXED, FILM: 81349; RN70B2003F	ea		1	-	-	-	*	*	2	8	5	7-1	R353
P	H		5905-542-9383							C	391 RESISTOR, FIXED, FILM: SAME AS 211	ea		1									7-1	R354
P	H		5905-107-7990							C	392 RESISTOR, VARIABLE: 81349; RV4NAYSD503A	ea		2	-	-	-	*	2	2	13	10	6-4 7-1	R361 R363
P	H		5905-847-4306							C	393 RESISTOR, FIXED, WIREWOUND: 28569; 18577-156	ea		1	-	-	-	*	*	2	8	5		R367
P	H		5905-171-1998							C	394 RESISTOR, FIXED, COMPOSITION: SAME AS 258	ea		1									5-7	R401
P	H		5905-249-3663							C	395 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF683J	ea		1	-	-	-	*	*	2	8	5	5-6	R402
P	H		5905-518-5297							C	396 RESISTOR, FIXED, WIREWOUND: 81349; RW31G500	ea		1	-	-	-	*	*	2	8	5	5-6	R403
P	H		5905-100-4811							C	397 RESISTOR, FIXED, WIREWOUND: 81349; RW31G161	ea		4	-	-	-	*	2	2	21	20	5-9	R405, R406, R407, R438
P	H		5905-518-5595							C	398 RESISTOR, VARIABLE: 81349; RV4LAYSA103A	ea		1	-	-	-	*	*	2	8	5	6-3	R411

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-841-7440							C	399 RESISTOR, FIXED, WIREWOUND: 81349; RW32V710	ea		1	-	-	-	*	*	2	8	5	5-9	R421
P	H		5905-171-1976							C	400 RESISTOR, FIXED, COMPOSITION: SAME AS 113	ea		1									6-5	R422
P	H		5905-279-3416							C	401 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF330J	ea		3	-	-	-	*	2	2	18	15	5-6	R423, R441, R457
P	H		5905-811-9399							C	402 RESISTOR, FIXED, WIREWOUND: 81349; RW32V510	ea		1	-	-	-	*	*	2	8	5	5-9	R424
P	H		5905-542-9835							C	402A RESISTOR, FIXED, WIREWOUND: 81349; RW55V120	ea		1	-	-	-	*	*	2	8	5	5-9	R439
P	H		5905-171-1976							C	403 RESISTOR, FIXED, COMPOSITION: SAME AS 113	ea		1									5-6	R440
P	H		5905-264-8744							C	404 RESISTOR, FIXED, WIREWOUND: 81349; RW31G121	ea		1	-	-	-	*	*	2	8	5	5-6	R442
P	H		5905-253-1229							C	405 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF331J	ea		1	-	-	-	*	*	2	8	5	5-6	R458
P	H		5905-950-2856							C	406 RESISTOR, FIXED, WIREWOUND: 02642; RW24G1R5	ea		1	-	-	-	*	*	2	8	5		R460
P	H		5905-503-6218							C	407 RESISTOR, VARIABLE: 81349; RV4LAYSA251A	ea		1	-	-	-	*	*	2	8	5	6-3	R464

(1) SOURCE CD (A)	MAINT. CD (B)	REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION		UNIT OF ISSUE (4)	QTY INC IN UN PK (5)	QTY INC IN UNIT (6)	30 DAY MAINT. ALW. (7) DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	1 YR. ALW. PER 100 EQUIP. CNTGCY PL. (8)	DEPOT MAINT. ALW. PER 100 EQUIP. (9)	ILLUSTRATIONS (10) (A) FIGURE NUMBER	ILLUSTRATIONS (10) (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)														
P	H		5905-740-0541							D	408	RESISTOR, VARIABLE: SAME AS 130	ea		4									6-5	R1002, R1003, R1004, R1024
P	H		5905-804-6088							C	409	RESISTOR, VARIABLE: 81349; RA20NBSD500A	ea		1	-	-	-	*	*	2	8	5	7-1	R1025
P	H		5930-501-2419							C	410	SWITCH: 76854; type 175	ea		1	-	-	-	*	*	2	8	5	7-1	S1
P	H		5930-655-1514							C	411	SWITCH, TOGGLE: 81349; MS35058-22	ea		1	-	-	-	*	*	2	8	5	7-1	S201
P	H		5930-655-1575							C	412	SWITCH, TOGGLE: 81349; MS35059-22	ea		1	-	-	-	*	*	2	8	5	7-1	S401
P	H		5930-895-6393							C	413	SWITCH, THERMOSTATIC: 82647; 20400D-52-21-L140-2	ea		1	-	-	-	*	*	2	8	5	5-7	S402
X1										C	414	SWITCH: P/o R1025	ea		1									7-1	S403
X1										C	415	SWITCH: P/o R1009	ea		1									7-1	S1002
P	H		5950-955-2267							C	416	TRANSFORMER: 81349; TF4RX01EA001	ea		1	-	-	-	*	*	2	8	5	5-8	T301
P	H		5950-504-6505							C	417	TRANSFORMER, POWER: 98734; 9463	ea		1	-	-	-	*	*	2	8	5	5-8	T401
P	H		5960-881-6636							C	418	ELECTRON TUBE: 81349; 5BHP2A	ea		1	-	-	-	2	4	8	98	100	5-5	V305
P	H		5960-230-5231							C	419	ELECTRON TUBE: 81349; 5642	ea		5	-	-	-	4	10	18	225	500	5-8	V308 thru V312
P	H		6145-542-6092							C	420	CABLE, RADIOFREQUENCY RG-58C/U	ft		16	-	-	-	8	16	32	80	80		W4
P	O	R	6625-973-4775							C	421	PROD, TEST MX-4073/U	ea		2	-	-	-	*	2	2	13	10		W5

(1) (A) SOURCE CD	(1) (B) MAINT. CD	(1) (C) REC. CODE	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		6145-548-1266							C	422 CABLE, POWER, ELECTRICAL: 81349; CO-03MGF(3/16)0360	ft		16	-	-	-	8	16	32	80	80		W402
P	H									C	423 LAMPHOLDER: 81349; LH74LC13RN	ea		1	-	-	-	*	*	*	5	3		XDS401
P	H		6250-283-9741							C	424 LAMPHOLDER: 81349; MS90282-3	ea		5	-	-	-	*	2	2	19	15	5-5 7-1	XDS403 thru XDS406 XDS1001
P	H		5920-990-9648							C	425 FUSEHOLDER: 71400; HKP-EJLQRW-ZZ	ea		6	-	-	-	2	2	3	30	30	5-7 5-6	XF401, XF402, XF403, XF406 XF404, XF405
P	H									C	426 SOCKET, ELECTRON TUBE: 28569; 19350-315	ea		1	-	-	-	*	*	*	5	3	5-5	XV305
											GROUP II PREAMPLIFIER, DUAL TRACE MX-2930A/USM													
A	O	R	6625-071-0778							B	427 PREAMPLIFIER, DUAL TRACE MX-2930A/USM	ea		1									1-1	A5
P	H	R	5930-983-4089							C	428 SWITCH ASSEMBLY, MODE: 28569; 19915-581	ea		1	-	-	-	*	*	*	5	3	8-8	A500
P	H		5910-715-6374							D	429 CAPACITOR, FIXED, CERAMIC: 72982; 301-051C0J229C	ea		1	-	-	-	*	2	2	21	18	8-8	C1587
P	H		5910-883-4781							D	430 CAPACITOR, FIXED, CERAMIC: SAME AS 220	ea		1									8-8	C1591
P	H									D	431 CAPACITOR, VARIABLE: 72982; type 535 #SK1459-000	ea		2	-	-	-	*	2	2	13	10	8-8	C1592, C1594
P	H		5910-822-5683							D	432 CAPACITOR, FIXED, CERAMIC: SAME AS 4	ea		1									8-8	C1593

ESC-FM 2474-66

(1) SOURCE CD (A)	MAINT. CD (B)	REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)														
P	H		5905-190-8881							D	433 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF182J	ea		1	-	-	-	*	2	2	18	15	8-8	R553
P	H		5905-279-1757							D	434 RESISTOR, FIXED, COMPOSITION: SAME AS 109	ea		1									8-8	R561
P	H		5905-192-3982							D	435 RESISTOR, FIXED, COMPOSITION: SAME AS 15	ea		1									8-8	R1563
P	H		5905-279-2668							D	436 RESISTOR, FIXED, COMPOSITION: SAME AS 121	ea		1									8-8	R1564
X1										D	437 SWITCH, ROTARY: P/O A500	ea		1									8-8	S505
A	H	R								C	438 BOARD, ETCHED CIRCUIT: 28569; 2420-563	ea		1									8-2	A501
P	H		5910-822-5683							D	439 CAPACITOR, FIXED, CERAMIC: SAME AS 4	ea		3									8-2	C503, C504, C516
P	H		5910-688-2822							D	440 CAPACITOR, FIXED, PAPER: 81349; CP05A1KB104K3	ea		2	-	-	-	*	2	2	13	10	8-2	C517, C518
P	H		5910-822-5682							D	441 CAPACITOR, FIXED, CERAMIC: SAME AS 70	ea		2									8-2	C522, C523
P	H		5960-615-0095							D	442 SEMICONDUCTOR DEVICE, DIODE: 81349; 1N276	ea		2	-	-	-	*	2	2	13	10	8-2	CR501, CR505
P	H		5950-504-6510							D	443 COIL, RADIOFREQUENCY: 95265; C577	ea		4	-	-	-	*	2	2	21	20	8-2	L501, L502, L511, L512
P	H									D	444 COIL, RADIOFREQUENCY: 99800; 2150-16	ea		4	-	-	-	*	2	2	21	20	8-2	L503, L505, L508, L510
P	H		5950-688-6048							D	445 COIL, RADIOFREQUENCY: 99800; 1537-08	ea		4	-	-	-	*	2	2	21	20	8-2	L514, L515, L518, L519

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5950-809-4076							D	446 COIL, RADIOFREQUENCY: 95265; NE-0.33-P±5%	ea		2	-	-	-	*	2	2	13	10	8-2	L516, L517
P	H		5961-062-2320							D	447 TRANSISTOR: SAME AS 175	ea		4									8-2	Q501 thru Q504
P	H		5905-299-2022							D	448 RESISTOR, FIXED, COMPOSITION: SAME AS 293	ea		4									8-2	R501, R502, R548, R549
P	H		5905-682-4106							D	449 RESISTOR, FIXED, COMPOSITION: 81349; RC07GF560J	ea		8	-	-	-	2	3	6	65	75	8-2	R503, R505, R527, R528, R545, R547, R550, R551
P	H									D	450 RESISTOR, FIXED, FILM: SAME AS 57	ea		8									8-2	R507, R509, R519, R521, R529, R531, R542, R544
P	H		5905-192-3978							D	451 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF303J	ea		4	-	-	-	*	2	2	21	20	8-2	R512, R513, R538, R539
P	H		5905-171-1986							D	452 RESISTOR, FIXED, COMPOSITION: SAME AS 131	ea		2									8-2	R514, R537
P	H		5905-279-1880							D	453 RESISTOR, FIXED, COMPOSITION: SAME AS 188	ea		2									8-2	R515, R536
P	H		5905-726-5328							D	454 RESISTOR, FIXED, FILM: 81349; RN60B1301F	ea		4	-	-	-	*	2	2	21	20	8-2	R516, R517, R534, R535
P	H		5905-583-6233							D	455 RESISTOR, FIXED, FILM: 81349; RN65B1502F	ea		4	-	-	-	*	2	2	21	20	8-2	R518, R522, R532, R533
P	H		5905-064-9054							D	456 RESISTOR, FIXED, FILM: 19701; type DC1 5K, 1%	ea		4	-	-	-	*	2	2	21	20	8-2	R523, R524, R584, R585
P	H		5905-190-8883							D	457 RESISTOR, FIXED, COMPOSITION: SAME AS 29	ea		2									8-2	R525, R576

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	(B) 21–50	(C) 51–100	GS (A) 1–20	(B) 21–50	(C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-539-5013							D	458 RESISTOR, VARIABLE: 81349; RV4NAYSD252A	ea		1	-	-	-	*	2	2	13	10	8-2	R543
P	H		5905-256-8355							D	459 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF202J	ea		1	-	-	-	*	*	2	8	5	8-2	R552
P	H		5905-577-9596							D	460 RESISTOR, FIXED, COMPOSITION: 81349; RC07GF222J	ea		4	-	-	-	*	2	2	21	20	8-2	R571 thru R574
P	H		5905-474-0070							D	461 RESISTOR, FIXED, FILM: 14674; LPI-4-470-10%	ea		1	-	-	-	*	*	2	8	5	8-2	R575
P	H		5905-279-3505							D	462 RESISTOR, FIXED, COMPOSITION: 81349; RC20GF392J	ea		2	-	-	-	*	2	2	13	10	8-2	R580, R581
P	H		5905-683-2235							D	463 RESISTOR, FIXED, COMPOSITION: 81349; RC07GF680J	ea		4	-	-	-	*	2	2	21	20	8-2	R582, R583, R588, R589
P	H		5905-537-6742							D	464 RESISTOR, FIXED, COMPOSITION: SAME AS 18	ea		2									8-2	R586, R587
P	O		5960-806-5614							D	465 ELECTRON TUBE: 81349; 7308	ea		4	-	-	-	4	11	20	238	400	8-2	V501, V502, V504, V505
P	O		5960-681-9596							D	466 ELECTRON TUBE: SAME AS 30	ea		2									8-2	V503, V506
P	H									D	467 SOCKET, ELECTRON TUBE: SAME AS 31	ea		4									8-2	XV501, XV502, XV504, XV505
P	H		5935-951-1441							D	468 SOCKET, ELECTRON TUBE: SAME AS 32	ea		2									8-2	XV503, XV506
A	H	R								C	469 BOARD, ETCHED CIRCUIT: 28569; 2420-562	ea		1									8-3	A502

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP. PL.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5910-822-5683							D	470 CAPACITOR, FIXED, CERAMIC: SAME AS 4	ea		6									8-3	C506, C507, C508, C511, C515, C519
P	H		5910-578-5543							D	471 CAPACITOR, VARIABLE, CERAMIC: SAME AS 37	ea		2									8-3	C509, C510
P	O		5960-669-6884							D	472 SEMICONDUCTOR DEVICE, DIODE: 81349; 1N277	ea		3	-	-	-	*	2	2	27	25	8-3	CR502, CR503, CR504
P	H		5960-892-0748							D	473 SEMICONDUCTOR DEVICE, DIODE: 81349; 1N979B	ea		1	-	-	-	*	2	2	13	10	8-3	CR506
P	H		5950-809-4071							D	473A COIL, RADIOFREQUENCY: 95265; SA-5000-I	ea		1	-	-	-	*	*	2	8	5	8-3	L513
P	H		5905-171-1986							D	474 RESISTOR, FIXED, COMPOSITION: SAME AS 131	ea		1									8-3	R526
P	H		5905-682-4106							D	475 RESISTOR, FIXED, COMPOSITION: SAME AS 449	ea		3									8-3	R554, R564, R567
P	H		5905-295-3410							D	476 RESISTOR, FIXED, COMPOSITION: SAME AS 75	ea		1									8-3	R555
P	H		5905-804-6099							D	477 RESISTOR, FIXED, FILM: SAME AS 99	ea		1									8-3	R556
P	H		5905-299-2028							D	478 RESISTOR, FIXED, COMPOSITION: 81349; RC32GF153J	ea		1	-	-	-	*	*	2	8	5	8-3	R557
P	H		5905-682-4106							D	479 RESISTOR, FIXED, COMPOSITION: SAME AS 449	ea		1									8-3	R558
P	H		5905-192-3982							D	480 RESISTOR, FIXED, COMPOSITION: SAME AS 15	ea		1									8-3	R559

(1) (A) SOURCE CD	(1) (B) MAINT. CD	(1) (C) REC. CODE	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-185-8516							D	481 RESISTOR, FIXED, COMPOSITION: SAME AS 183	ea		1									8-3	R560
P	H		5905-722-0060							D	482 RESISTOR, FIXED, FILM: SAME AS 20	ea		2									8-3	R562, R569
P	H		5905-552-3522							D	483 RESISTOR, FIXED, FILM: SAME AS 319.	ea		4									8-3	R563, R565, R566, R568
P	H		5905-195-6752							D	484 RESISTOR, FIXED, COMPOSITION: 81349; RC42GF392J	ea		1	-	-	-	*	*	2	8	5	8-3	R570
P	H		5905-195-6806							D	485 RESISTOR, FIXED, COMPOSITION: SAME AS 25	ea		1									8-3	R579
P	H		5905-190-8881							D	486 RESISTOR, FIXED, COMPOSITION: SAME AS 433	ea		2									8-3	R591, R592
P	H		5905-537-6742							D	487 RESISTOR, FIXED, COMPOSITION: SAME AS 18	ea		1									8-3	R593
P	H									D	488 TRANSFORMER, PULSE: 28569; 20800-262	ea		1	-	-	-	*	*	2	8	5	8-3	T501
P	O		5960-681-9596							D	489 ELECTRON TUBE: SAME AS 30	ea		2									8-3	V507, V508
P	O		6240-179-1811							D	490 LAMP, GLOW: SAME AS 345	ea		1									8-3	V509
P	H		5935-841-7102							D	491 SOCKET, ELECTRON TUBE: 71785; 44P24233	ea		1	-	-	-	*	*	2	8	5	8-3	XV507
P	H									D	492 SOCKET, ELECTRON TUBE: SAME AS 31	ea		1									8-3	XV508
A	H	R								C	493 ATTENUATOR ASSEMBLY, REPAIRABLE, CHANNEL "A": 28569; 2420-560	ea		1									8-6	A1500

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP. PL.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
[illegible]	H		5910-715-6374							D	494 CAPACITOR, FIXED, CERAMIC: SAME AS 429	ea		2									8-6	C1544, C1545
P	H									D	495 CAPACITOR, VARIABLE	ea		18	-	-	-	2	5	10	112	120	8-6	C1547, C1548, C1551, C1552, C1555, C1556, C1559, C1560, C1563, C1564, C1567, C1569, C1571, C1573, C1575, C1577, C1579, C1581
P	H		5910-926-8036							D	496 CAPACITOR, FIXED, CERAMIC: 72982; 301-651C0H0829C	ea		1	-	-	-	*	2	2	26	21	8-6	C1549
P	H		5910-821-4481							D	497 CAPACITOR, FIXED, MICA: 81349; CM15C220JN3	ea		1	-	-	-	*	*	2	10	6	8-6	C1553
P	H									D	498 CAPACITOR, FIXED, CERAMIC: 72982; 301-651C0H569C	ea		1	-	-	-	*	2	2	16	12	8-6	C1557
P	H		5910-823-1202							D	499 CAPACITOR, FIXED, MICA: 81349; CM15C390JN3	ea		2	-	-	-	*	2	2	13	9	8-6	C1558, C1562
P	H		5910-726-8695							D	500 CAPACITOR, FIXED, CERAMIC: 72982; 301-651C0G100D	ea		6	-	-	-	2	2	3	44	42	8-6	C1561, C1565, C1568, C1572, C1576, C1580
P	H		5910-827-4642							D	501 CAPACITOR, FIXED, MICA: 81349; CM15C101JN3	ea		1	-	-	-	*	*	2	10	6	8-6	C1566
P	H		5905-807-3420							D	502 RESISTOR, FIXED, FILM: 19701; CF1/2 667K, 1%	ea		1	-	-	-	*	2	2	13	10	8-6	R1532
P	H		5905-069-4508							D	503 RESISTOR, FIXED, FILM: 19701; CF1/2 250K, 1%	ea		1	-	-	-	*	2	2	13	10	8-6	R1534
P	H		5905-225-3934							D	504 RESISTOR, FIXED, FILM: 19701; CF1/2 111K, 1%	ea		1	-	-	-	*	2	2	13	10	8-6	R1536

(1) (A) SOURCE CD	(1) (B) MAINT. CD	(1) (C) REC. CODE	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-752-3832							D	505 RESISTOR, FIXED, FILM: 19701; CF1/2 41.7K, 1%	ea		1	-	-	-	*	*	2	8	5	8-6	R1538
P	H									D	506 RESISTOR, FIXED, FILM: 19701; CF1/2 20.4K, 1%	ea		1	-	-	-	*	2	2	13	10	8-6	R1540
P	H		5905-581-7532							D	507 RESISTOR, FIXED, FILM: 19701; CF1/2 10.1K, 1%	ea		1	-	-	-	*	2	2	13	10	8-6	R1543
P	H		5905-552-7199							D	508 RESISTOR, FIXED, FILM: 81349; RN70B4021F	ea		1	-	-	-	*	2	2	13	10	8-6	R1546
P	H		5905-552-3521							D	509 RESISTOR, FIXED, FILM: SAME AS 205	ea		1									8-6	R1549
P	H		5905-552-5444							D	510 RESISTOR, FIXED, FILM: 19701; CF1/2 995, 1%	ea		1	-	-	-	*	2	2	13	10	8-6	R1553
A	H	R								C	511 ATTENUATOR ASSEMBLY, REPAIRABLE: 28569; 2420-561	ea		1									8-7	A1501
P	H									D	512 CAPACITOR, VARIABLE: SAME AS 495	ea		18									8-7	C1504, C1505, C1508, C1509, C1512, C1513, C1516, C1517, C1520, C1521, C1524, C1526, C1528, C1530, C1532, C1534, C1536, C1538
P	H		5910-926-8036							D	513 CAPACITOR, FIXED, CERAMIC: SAME AS 496	ea		1									8-7	C1506
P	H		5910-821-4481							D	514 CAPACITOR, FIXED, MICA: SAME AS 497	ea		1									8-7	C1510
P	H									D	515 CAPACITOR, FIXED, CERAMIC: SAME AS 498	ea		1									8-7	C1514

(1) (A) SOURCE CD	(1) (B) MAINT. CD	(1) (C) REC. CODE	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	(3) DESCRIPTION IND CD		(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5910-823-1202							D	516 CAPACITOR, FIXED, MICA: SAME AS 499	ea		2									8-7	C1515, C1519
P	H		5910-726-8695							D	517 CAPACITOR, FIXED, CERAMIC: SAME AS 500	ea		6									8-7	C1518, C1522, C1525, C1529, C1533, C1537
P	H		5910-827-4642							D	518 CAPACITOR, FIXED, MICA: SAME AS 501	ea		1									8-7	C1523
P	H		5910-715-6374							D	519 CAPACITOR, FIXED, CERAMIC: SAME AS 429	ea		2									8-7	C1540, C1541
P	H		5905-807-3420							D	520 RESISTOR, FIXED, FILM: SAME AS 502	ea		1									8-7	R1502
P	H		5905-069-4508							D	521 RESISTOR, FIXED, FILM: SAME AS 503	ea		1									8-7	R1504
P	H		5905-225-3934							D	522 RESISTOR, FIXED, FILM: SAME AS 504	ea		1									8-7	R1506
P	H		5905-752-3832							D	523 RESISTOR, FIXED, FILM: SAME AS 505	ea		1									8-7	R1508
P	H									D	524 RESISTOR, FIXED, FILM: SAME AS 506	ea		1									8-7	R1510
P	H		5905-581-7532							D	525 RESISTOR, FIXED, FILM: SAME AS 507	ea		1									8-7	R1513
P	H		5905-552-7199							D	526 RESISTOR, FIXED, FILM: SAME AS 508	ea		1									8-7	R1516
P	H		5905-552-3521							D	527 RESISTOR, FIXED, FILM: SAME AS 205	ea		1									8-7	R1519
P	H		5905-552-5444							D	528 RESISTOR, FIXED, FILM: SAME AS 510	ea		1									8-7	R1523

(1) (A) SOURCE CD	(1) (B) MAINT. C D	(1) (C) REC. CODE	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	(B) 21–50	(C) 51–100	GS (A) 1–20	(B) 21–50	(C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
A	H	R								C	529 SWITCH ASSEMBLY: 28569; 19915-582	ea		1									8-9	A1502
P	H		5910-926-8036							D	530 CAPACITOR, FIXED, CERAMIC: SAME AS 496	ea		2									8-9	C1543, C1546
P	H		5910-726-8695							D	531 CAPACITOR, FIXED, CERAMIC: SAME AS 500	ea		1									8-9	C1550
P	H									D	532 CAPACITOR, FIXED, CERAMIC: SAME AS 498	ea		1									8-9	C1554
P	H		5905-682-4106							D	533 RESISTOR, FIXED, COMPOSITION: SAME AS 449	ea		1									8-9	R1530
P	H		5905-553-9791							D	534 RESISTOR, FIXED, FILM: 19701; CF1/2 600K, 1%	ea		1	-	-	-	*	2	2	13	10	8-9	R1531
P	H		5905-079-0785							D	535 RESISTOR, FIXED, FILM: 19701; CF1/2 800K, 1%	ea		1	-	-	-	*	2	2	13	10	8-9	R1533
P	H		5905-990-2258							D	536 RESISTOR, FIXED, FILM: 19701; CF1/2 900K, 1%	ea		1	-	-	-	*	2	2	13	10	8-9	R1535
P	H		5905-752-3608							D	537 RESISTOR, FIXED, FILM: 19701; CF1/2 960K, 1%	ea		1	-	-	-	*	2	2	13	10	8-9	R1537
P	H		5905-805-8783							D	538 RESISTOR, FIXED, FILM: 19701; CF1/2 980K, 1%	ea		1	-	-	-	*	2	2	13	10	8-9	R1539
P	H		5905-959-6009							D	539 RESISTOR, FIXED, FILM: 19701; CF1/2 990K, 1%	ea		1	-	-	-	*	2	2	13	10	8-9	R1541
P	H		5905-190-8883							D	540 RESISTOR, FIXED, COMPOSITION: SAME AS 29	ea		3									8-9	R1542, R1545, R1548
P	H		5905-878-3432							D	541 RESISTOR, FIXED, FILM: 19701; CF1/2 996K, 1%	ea		1	-	-	-	*	2	2	13	10	8-9	R1544

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5905-539-4565							D	542 RESISTOR, FIXED, FILM: SAME AS 159	ea		2									8-9	R1547, R1550
P	H		5905-727-8001							D	543 RESISTOR, FIXED, COMPOSITION: SAME AS 58	ea		1									8-9	R1551
P	H		5905-837-1964							D	544 RESISTOR, FIXED, COMPOSITION: 01121; EB47G5	ea		1	-	-	-	*	2	2	13	10	8-9	R1552
X1										D	545 SWITCH, ROTARY: 28569; 19912-431	ea		1									8-9	S502
A	H	R								C	546 SWITCH ASSEMBLY: 28569; 19915-582	ea		1									8-10	A1503
P	H		5910-926-8036							D	547 CAPACITOR, FIXED, CERAMIC: SAME AS 496	ea		1									8-10	C1500
P	H		5910-726-8695							D	548 CAPACITOR, FIXED, CERAMIC: SAME AS 500	ea		1									8-10	C1507
P	H									D	549 CAPACITOR, FIXED, CERAMIC: SAME AS 498	ea		1									8-10	C1511
P	H		5905-682-4106							D	550 RESISTOR, FIXED, COMPOSITION: SAME AS 449	ea		1									8-10	R1500
P	H		5905-553-9791							D	551 RESISTOR, FIXED, FILM: SAME AS 534	ea		1									8-10	R1501
P	H		5905-079-0785							D	552 RESISTOR, FIXED, FILM: SAME AS 535	ea		1									8-10	R1503
P	H		5905-990-2258							D	553 RESISTOR, FIXED, FILM: SAME AS 536	ea		1									8-10	R1505
P	H		5905-752-3608							D	554 RESISTOR, FIXED, FILM: SAME AS 537	ea		1									8-10	R1507

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)														
P	H		5905-805-8783							D	555 RESISTOR, FIXED, FILM: SAME AS 538	ea		1									8-10	R1509
P	H		5905-959-6009							D	556 RESISTOR, FIXED, FILM: SAME AS 539	ea		1									8-10	R1511
P	H		5905-190-8883							D	557 RESISTOR, FIXED, COMPOSITION: SAME AS 29	ea		3									8-10	R1512, R1515, R1518
P	H		5905-878-3432							D	558 RESISTOR, FIXED, FILM: SAME AS 541	ea		1									8-10	R1514
P	H		5905-539-4565							D	559 RESISTOR, FIXED, FILM: SAME AS 159	ea		2									8-10	R1517, R1520
P	H		5905-727-8001							D	560 RESISTOR, FIXED, COMPOSITION: SAME AS 58	ea		1									8-10	R1521
P	H		5905-837-1964							D	561 RESISTOR, FIXED, COMPOSITION: SAME AS 544	ea		1									8-10	R1522
X1										D	562 SWITCH, ROTARY: SAME AS 545	ea		1									8-10	S504
P	H									C	563 CAPACITOR, FIXED, PLASTIC: SAME AS 270	ea		2									8-5	C1501, C1502
P	H									C	564 CAPACITOR, FIXED, MICA: 81349; CB11RD221J	ea		2	-	-	-	*	*	2	10	6	7-3	C1527, C1570
P	H		5910-270-3311							C	565 CAPACITOR, FIXED, MICA: 81349; CB11RD471J	ea		2	-	-	-	*	*	2	10	6	7-3	C1531, C1574
P	H		5910-686-8762							C	566 CAPACITOR, FIXED, MICA: 81349; CB11RD102J	ea		2	-	-	-	*	*	2	10	6	7-3	C1535, C1578
P	H									C	567 CAPACITOR, FIXED, MICA: 00853; M23-2000-E5-500V	ea		2	-	-	-	*	*	2	10	6		C1539, C1582

(1) (A) SOURCE CD	(1) (B) MAINT. CD	(1) (C) REC. CODE	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1—20	DS (B) 21—50	DS (C) 51—100	GS (A) 1—20	GS (B) 21—50	GS (C) 51—100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5910-883-4781							C	568 CAPACITOR, FIXED, CERAMIC: SAME AS 220	ea		2									7-3 8-4	C1588 C1595
P	H		5910-926-8036							C	569 CAPACITOR, FIXED, CERAMIC: SAME AS 496	ea		1									7-3	C1589
P	H									C	570 CAPACITOR, VARIABLE: SAME AS 495	ea		1									7-3	C1590
P	H		5935-258-1767							C	571 COVER, ELECTRICAL CONNECTOR: SAME AS 351	ea		2									1-1	E501, E502
P	H		5935-552-7660							C	572 CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS 359	ea		2									7-1	J501, J502
P	H		5355-809-9333							C	573 KNOB: SAME AS 365	ea		4									1-1	MP500, MP501, MP509, MP510
P	H		5355-809-9329							C	574 KNOB: SAME AS 366	ea		3									1-1	MP502, MP503, MP504
P	H		5355-784-7003							C	575 KNOB: SAME AS 367	ea		2									1-1	MP505, MP506
P	H		5355-656-1323							C	576 KNOB: 28569; 11505-92	ea		2	-	-	-	*	*	2	10	6	1-1	MP507, MP508
P	H		5935-258-8158							C	577 CONNECTOR, RECEPTACLE, ELECTRICAL: 02660; 26-4100-16P	ea		1	-	-	-	*	*	2	8	5	5-5	P501
P	H		5905-542-9316							C	578 RESISTOR, VARIABLE: 81349; RV4NAYSB502A	ea		2	-	-	-	*	2	2	13	10	7-1	R504, R546
P	H		5905-539-5013							C	579 RESISTOR, VARIABLE: SAME AS 458	ea		1									7-1	R508
P	H		5905-809-4788							C	580 RESISTOR, VARIABLE: 71450; type RWF2-90	ea		2	-	-	-	*	2	2	13	10	7-1	R510, R540

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)														
X1										C	581 RESISTOR: P/o S506, S507	ea		2									8-4	R520, R530
P	H		5905-539-4565							C	582 RESISTOR, FIXED, FILM: SAME AS 159	ea		1									7-3	R1560
P	H		5905-264-7080							C	583 RESISTOR, FIXED, WIREWOUND: 81349; RW32G103	ea		1	-	-	-	*	*	2	8	5	8-4	R590
P	H		5905-192-3982							C	584 RESISTOR, FIXED, COMPOSITION: SAME AS 15	ea		1									7-3	R1561
P	H		5905-279-2668							C	585 RESISTOR, FIXED, COMPOSITION: SAME AS 121	ea		1									8-4	R1568
P	H		5930-784-4379							C	586 SWITCH, ROTARY: 28569; 19912-248	ea		2	-	-	-	*	2	2	13	10	7-1	S501, S503
P	H		5930-930-5482							C	587 SWITCH, ROTARY: 28569; 19912-429	ea		2	-	-	-	*	2	2	13	10	8-4	S506, S507
X1										C	588 SWITCH: P/o R510	ea		1										S508
X1										C	589 SWITCH: P/o 540	ea		1										S509
											GROUP III AUXILIARY PLUG-IN MX-3078/USM														
A	O	R	6625-961-5888							B	590 AUXILIARY PLUG-IN MX-3078/USM	ea		1									1-1	A2000
P	H		5910-822-5683							C	591 CAPACITOR, FIXED, CERAMIC: SAME AS 4	ea		1									5-6	C2001
P	O		5960-669-6884							C	592 SEMICONDUCTOR DEVICE, DIODE: SAME AS 472	ea		1									5-6	CR2001
P	O		6240-683-0580							C	593 LAMP, GLOW: SAME AS 344	ea		1									1-1	DS2001

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/USM-140A (continued)													
P	H		5935-258-1767							C	594 COVER, ELECTRICAL CONNECTOR: SAME AS 351	ea		2									1-1	E2001, E2002
P	H		5935-552-7660							C	595 CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS 359	ea		2									1-1	J2001, J2002
P	H		5935-201-6038							C	596 CONNECTOR, PLUG, ELECTRICAL: 02660; 26-4100-32P	ea		1	-	-	-	*	*	2	8	5		P2001
P	H		5905-192-3982							C	597 RESISTOR, FIXED, COMPOSITION: SAME AS 15	ea		1										R2001
P	H		5930-050-2638							C	598 SWITCH, TOGGLE: 81349; MS25100-23	ea		2	-	-	-	*	2	2	13	10	1-1	S2001, S2002
P	H		6210-583-3328							C	599 LAMPHOLDER: 72619; 137-7336-937	ea		1	-	-	-	*	*	2	8	5		XDS2001

Section V. FEDERAL STOCK NUMBER INDEX

INDEX — FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE SYMBOL

STOCK NO.	FIGURE NO.	ITEM NO. REF. SYMBOL
4140-684-6038	5-9	B401A
4935-992-6112	7-1	E4
5355-656-1323	1-1	MP507, MP508
5355-784-7003	7-1	MP7 thru MP10
	1-1	MP505, MP506
5355-809-9329	7-1	MP2 thru MP6
	1-1	MP502, MP503, MP504
5355-809-9333	7-1	MP1, MP12, MP13, MP14
	1-1	MP500, MP501, MP509, MP510
5905-062-6300	5-25	R1018, R1019, R1020
5905-063-5790	5-11	R54
5905-064-9054	8-2	R523, R524, R584, R585
5905-069-4508	8-6	R1534
	8-7	R1504
5905-079-0785	8-9	R1533
	8-10	R1503
5905-088-1170	5-18	R247
	5-19	R204
5905-100-4811	5-9	R405, R406, R407, R438
5905-107-7990	6-4	R361
	7-1	R363
5905-171-1976	5-14	R135, R138, R179
	5-17	R208
	6-5	R422
	5-6	R440
5905-171-1986	5-14	R180
	5-22	R356
	8-2	R514, R537
	8-3	R526
5905-171-1998	5-22	R355, R365, R366
	5-7	R401
5905-171-2000	5-10	R36
5905-171-2004	5-14	R176
	5-15	R161
5905-185-8490	5-20	R341
5905-185-8510	5-15	R102
	5-21	R309
5905-185-8516	5-18	R254, R255
	5-21	R335
	8-3	R560
5905-190-8881	8-8	R553
	8-3	R591, R592
5905-190-8883	5-10	R40
	8-2	R525, R576
	8-9	R1542, R1545, R1548
	8-10	R1512, R1515, R1518
5905-190-8885	5-22	R357
5905-190-8889	5-14	R188, R190
	5-17	R207
	5-24	R409
5905-191-4984	5-9	R265, R270
5905-192-0667	5-14	R168
	5-18	R258
5905-192-3971	5-24	R425
5905-192-3978	8-2	R512, R513, R538, R539
5905-192-3982	5-10	R2, R4, R19, R22, R26, R30
	5-13	R103
	5-14	R115, R133
	5-22	R334
	8-8	R1563
	8-3	R559
	7-3	R1561
5905-192-4490	5-24	R417
5905-195-6451	5-18	R273
	5-21	R308
	5-24	R459
5905-195-6752	8-3	R570
5905-195-6761	5-17	R206
	5-18	R244, R264
	5-21	R302
	5-22	R364
5905-195-6791	5-24	R451
5905-195-6806	5-10	R29
	5-14	R172
	8-3	R579

INDEX — FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE SYMBOL

STOCK NO.	FIGURE NO.	ITEM NO. REF. SYMBOL
5905-204-8922	5-22	R313, R314, R315
5905-225-3934	8-6	R1536
	8-7	R1506
5905-249-3663	5-6	R402
5905-249-4190	5-18	R276
5905-252-4018	5-10	R1, R3, R18, R21
	5-14	R107, R108, R117, R122, R124, R136, R140, R143, R150, R151, R154, R155, R167, R173, R175 R181, R186, R187, R189
	5-17	R214, R218, R224, R277
	5-18	R249, R253, R256, R257, R266, R269
	5-21	R304, R337, R339
	5-24	R463
5905-253-1229	5-6	R458
5905-254-7110	5-21	R303
5905-256-8355	8-2	R552
5905-257-0926	5-18	R268, R278
5905-257-0937	5-14	R144
	5-18	R274, R275
	5-21	R336
5905-259-2990	5-14	R165
5905-264-7080	8-4	R590
5905-264-8744	5-6	R442
5905-279-1719	5-22	R327
5905-279-1757	5-14	R123, R125
	8-8	R561
5905-279-1865	5-21	R340
5905-279-1876	5-10	R25
	5-11	R91, R94
	5-14	R132 R158
5905-279-1880	5-18	R272
	8-2	R515, R536
5905-279-1881	5-21	R306
5905-279-1883	5-25	R1001
5905-279-1890	5-18	R271
5905-279-1933	5-21	R307
5905-279-1955	5-22	R326
5905-279-1972	5-24	R413
5905-279-2504	5-21	R338
5905-279-2515	5-11	R98
	5-13	R104
	5-14	R116, R137, R157
5905-279-2516	5-25	R1005
5905-279-2527	5-14	R182
	5-21	R301
5905-279-2528	5-14	R145
5905-279-2603	5-10	R7
5905-279-2616	5-14	R177
5905-279-2668	5-14	R156
	8-8	R1564
	8-4	R1568
5905-279-2675	5-17	R217
5905-279-3414	5-24	R445
5905-279-3416	5-6	R423, R441, R457
5905-279-3494	5-11	R97
	5-14	R147
5905-279-3497	5-22	R360, R362
5905-279-3503	5-24	R447
5905-279-3505	8-2	R580, R581
5905-279-3513	5-25	R1021
5905-279-3527	5-16	R1023
5905-279-3948	5-22	R332, R323
	6-9	R316, R317, R318
5905-279-5621	5-25	R1011
5905-295-3410	5-13	R106
	5-15	R101, R164
	5-21	R310
	5-22	R328
	5-5	R88
	8-3	R555
5905-295-6366	7-1	R330

INDEX — FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE SYMBOL

STOCK NO.	FIGURE NO.	ITEM NO. REF. SYMBOL
5905-299-1541	5-10 5-14 5-24	R23, R27 R111, R123 R443, R462
5905-299-1987	5-22	R331, R332, R333
5905-299-2011	5-24	R432
5905-299-2013	5-24	R461
5905-299-2020	5-24	R426, R448
5905-299-2022	5-24 8-2	R444 R501, R502, R548, R459
5905-299-2028	8-3	R557
5905-299-2044	5-10	R28
5905-299-2049	5-16	R210
5905-299-2059	5-14	R110
5905-473-5251	5-10	R24
5905-474-0070	8-2	R575
5905-503-5984	6-4	R13
5905-503-6218	6-3	R464
5905-503-9138	5-11	R50, R52, R67, R68
5905-504-5799	5-14	R121, R148, R149
5905-518-5297	5-6	R403
5905-518-5595	6-3	R411
5905-518-5609	5-19	R202, R212
5905-537-6742	5-10 5-14 8-2 8-3	R8, R9, R32 R153 R586, R587 R593
5905-539-2567	5-24	R431
5905-539-3838	5-14 5-19	R119, R141 R201, R213
5905-539-4111	5-22	R359
5905-539-4565	5-17 8-9 8-10 7-3	R205, R215 R1547, R1550 R1517, R1520 R1560
5905-539-5013	8-2 7-1	R543 R508
5905-542-9113	5-11	R55, R70
5905-542-9199	5-18	R245, R259
5905-542-9316	7-1	R504, R546
5905-542-9383	5-20 7-1	R349 R354
5905-542-9461	5-25	R1014
5905-542-9520	5-16	R238, R239, R240 R241
5905-542-9835	5-9	R439
5905-549-5382	5-5	R96
5905-549-9045	5-25	R1012, R1013
5905-552-0614	5-14	R171
5905-552-2093	6-5 6-4	R114 R243
5905-552-2442	5-14	R139, R170
5905-552-3521	5-20 8-6 8-7	R343 R1549 R1519
5905-552-3522	5-25 8-3	R1006 R563, R565, R566, R568
5905-552-3893	5-20	R350
5905-552-5444	8-6 8-7	R1553 R1523
5905-552-6097	5-22	R358
5905-552-6140	5-20	R351
5905-552-7199	8-6 8-7	R1546 R1516
5905-553-9299	5-11	R49, R51, R65, R66
5905-553-9791	8-9 8-10	R1531 R1501
5905-556-3336	5-20	R345
5905-556-3339	5-14	R118
5905-556-3744	5-11	R56, R71

INDEX — FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE SYMBOL

STOCK NO.	FIGURE NO.	ITEM NO. REF. SYMBOL
5905-557-2422	5-12	R75, R76, R81, R82
5905-577-2830	6-4	R305
5905-577-7506	5-14	R174
5905-577-9596	8-2	R571 thru R574
5905-581-1527	5-16 5-20	R233 R344
5905-581-1645	5-14	R146
5905-581-1678	5-20	R352
5905-581-6347	5-24	R427
5905-581-7467	5-20	R347
5905-581-7532	8-6 8-7	R1543 R1513
5905-581-7550	5-16	R237, R242
5905-583-6233	8-2	R518, R522, R532, R533
5905-646-5706	7-1	R353
5905-646-5958	6-5 6-3	R211 R452
5905-660-6889	6-5	R163
5905-682-4106	8-2	R503, R505, R527, R528, R545, R547, R550, R551
	8-3	R554, R564, R567 R558
	8-9 8-10	R1530 R1500
5905-683-2235	8-2	R582, R583, R588, R589
5905-683-2242	5-11	R53, R69
5905-683-5580	5-11	R45, R61
5905-683-7721	5-11	R77, R83
5905-715-6356	5-18	R246, R260
5905-722-0060	5-10 8-3	R20 R562, R569
5905-722-0136	5-18	R267
5905-726-5328	8-2	R516, R517, R534 R535
5905-727-8001	5-11 8-9 8-10	R90, R93 R1551 R1521
5905-740-0541	5-14 6-5	R178 R1002, R1003, R1004, R1024
5905-752-3608	8-9 8-10	R1537 R1507
5905-752-3621	5-11	R46, R62
5905-752-3832	8-6 8-7	R1538 R1508
5905-783-8818	5-25	R1009
5905-793-2176	5-15	R162
5905-793-3064	5-16	R209
5905-793-3065	6-5	R223A, R223B
5905-801-5058	5-5	R38
5905-802-6730	5-11	R48, R64
5905-804-6088	7-1	R1025
5905-804-6095	5-21	R342
5905-804-6099	5-14 5-24 8-3	R109, R152 R408 R556
5905-804-6100	5-14	R130
5905-804-6101	5-5	R99
5905-805-8783	8-9 8-10	R1539 R1509
5905-807-3420	8-6 8-7	R1532 R1502
5905-809-4788	7-1	R510, R540
5905-811-9399	5-9	R424
5905-814-1178	5-24	R416, R435
5905-817-7971	5-11	R78, R79, R84, R85
5905-837-1964	8-9 8-10	R1552 R1522

INDEX — FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE SYMBOL

STOCK NO.	FIGURE NO.	ITEM NO. REF. SYMBOL
5905-841-7440	5-9	R421
5905-841-7469	5-18	R248, R251
5905-842-2965	5-5	R95
5905-847-4306		R367
5905-852-4476	5-14	R131
5905-852-8629	5-14	R120
5905-874-6884	7-1	R216
5905-878-3163	7-1	R324
5905-878-3432	8-9 8-10	R1544 R1514
5905-882-0062	5-24	R434
5905-882-0069	5-11	R80, R86
5905-950-2856		R460
5905-951-1478	5-10 5-11	R11, R16 R47, R63
5905-954-9088	5-20	R348
5905-957-0444	5-25	R1007
5905-957-0445	5-20	R346
5905-957-0446	5-16	R234
5905-957-0447	5-25	R1017
5905-957-0591	5-5	R87
5905-959-6009	8-9 8-10	R1541 R1511
5905-975-1273	5-24	R446
5905-975-1293	5-24	R415
5905-975-1300	5-24	R433
5905-975-1473	5-24	R449
5905-975-4350	5-25	R1010
5905-983-5819	5-14	R169
5905-990-2258	8-9 8-10	R1535 R1505
5905-990-8727	5-19 5-25	R203 R1015, R1016
5905-990-9556	5-16	R236
5910-061-7038	5-14	C110
5910-195-6580	5-14	C117
5910-270-3311	7-3	C1531, C1574
5910-279-2517	5-10	R37
5910-556-9440	5-14 5-19	C121 C204
5910-578-1623	5-12 5-18 5-19 5-25	C28, C29 C211, C213 C201, C207 C1010, C1012, C1014, C1016
5910-578-5543	5-11 5-18 8-3	C31 C216 C509, C510
5910-615-9519	5-6	C411, C420
5910-617-3902	5-25	C1002
5910-666-7164	5-14	C124, C133
5910-686-6603	7-2	C308, C311, C312, C313
5910-686-7165	7-2	C309, C310
5910-686-8762	7-3	C1535, C1578
5910-688-2822	8-2	C517, C518
5910-701-9100	5-10 5-14 5-17 5-21 5-23	C2, C7, C8, C10, C12, C13 C137, C139, C144 C221 C302 C404, C405, C406
5910-715-6374	8-8 8-6 8-7	C1587 C1544, C1545 C1540, C1541
5910-726-8695	8-6 8-7 8-9 8-10	C1561, C1565, C1568, C1572, C1576, C1580 C1518, C1522, C1525, C1529, C1533, C1537 C1550 C1507
5910-727-0271	5-25	C1009
5910-806-0176	5-22	C316

INDEX — FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE SYMBOL

STOCK NO.	FIGURE NO.	ITEM NO. REF. SYMBOL
5910-807-2595	5-25	C1013
5910-807-5570	5-18	C222
	5-21	C301, C306
5910-807-9305	5-25	C1004
5910-809-4773	5-6	C401, C408, C416
5910-814-3850	5-14	C107
	5-21	C319, C320
5910-816-6613	5-11	C32
	5-14	C109, C143
	5-19	C205
5910-820-0702	5-6	C403
5910-820-8442	5-14	C132
5910-821-4481	5-22	C317
	5-25	C1015
	8-6	C1553
	8-7	C1510
5910-822-5682	5-13	C103
	5-14	C106, C123, C136
	8-2	C522, C523
5910-822-5683	5-10	C1, C14, C15
	5-11	C21, C22, C25, C26, C27, C30 C33, C34, C35
	5-13	C104
	5-14	C116, C118, C122, C135, C140, C141, C142
	5-15	C101, C130
	5-17	C206
	5-21	C307
	5-24	C418
	8-8	C1593
	8-2	C503, C504, C516
	8-3	C506, C507, C508, C511, C515, C519
	5-6	C2001
5910-823-1068	5-11	C23, C24
	5-14	C102
	5-21	C305
5910-823-1202	8-6	C1558, C1562
	8-7	C1515, C1519
5910-823-1203	5-14	C108
5910-825-1637	5-18	C215
	5-23	C407
	5-24	C426
5910-826-5466	5-14	C119
5910-827-0175	5-9	C402, C410
5910-827-4642	5-14	C114
	8-6	C1566
	8-7	C1523
5910-829-1374	7-1	C318
5910-833-9542	5-10	C9
5910-834-2788	5-25	C1003
5910-834-3265	5-14	C134
5910-841-1341	5-14	C105
5910-842-4465	5-25	C1001
5910-854-7216	5-24	C419
5910-879-4764	5-21	C303
5910-883-4781	5-21	C304
	8-8	C1591
	7-3	C1588
	8-4	C1595
5910-889-4777	5-10	C11
	5-25	C1011
5910-926-8036	8-6	C1549
	8-7	C1506
	8-9	C1543, C1546
	8-10	C1500
	7-3	C1589
5910-964-5319	5-22	C315
5910-964-5320	5-22	C314
5915-809-9638	5-8	FL401
5915-960-4307		A303
5920-280-4465	5-6	F404
5920-281-0224	5-7	F403
5920-284-7732	5-7	F401, F402
5920-284-9494	5-6	F405
5920-846-5726	5-7	F406
5920-990-9648	5-7	XF401, XF402, XF403, XF406
	5-6	XF404, XF405
5930-050-2638	1-1	S2001, S2002
5930-501-2419	7-1	S1

INDEX — FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE SYMBOL

STOCK NO.	FIGURE NO.	ITEM NO. REF. SYMBOL
5930-655-1514	7-1	S201
5930-655-1575	7-1	S401
5930-784-4379	7-1	S501, S503
5930-895-6393	5-7	S402
5930-930-5482	8-4	S506, S507
5930-955-0722	5-25	A1000
5930-955-0723	5-20	A300
5930-955-2266	5-16	A200
5930-960-0159	5-15	S101
5930-983-4089	8-8	A500
5935-149-3534	7-1	E1
5935-201-2353	5-5	J1
5935-201-6038		P2001
5935-201-6039	5-8	J105
5935-258-1767	7-1	E101, E102, E104, E201, E301, E302
	1-1	E501, E502 E2001, E2002
5935-258-8158	5-5	P501
5935-283-3725	7-1	P401
5935-337-6510		P3
5935-552-7660	7-1	J101, J102, J104, J201, J501, J502
	1-1	J2001, J2002
5935-636-7145	7-1	P402
5935-683-7892	7-1	E2
5935-823-0639	7-1	E3
5935-841-7102	8-3	XV507
5935-892-9035	7-1	J301, J302
5935-951-1441	5-10	XV2, XV3
	5-11	XV6, XV12, XV13
	8-2	XV503, XV506
5950-504-6500	5-7	L402, L404
5950-504-6505	5-8	T401
5950-504-6510	8-2	L501, L502, L511, L512
5950-681-6636	5-14	L102, L103
5950-688-6048	8-2	L514, L515, L518 L519
5950-754-9896	5-10	L3, L5
	5-11	L21, L22
5950-776-1118	5-10	L9
	5-11	L14, L17
5950-802-0913	5-21	L301, L302
5950-802-1805	5-14	L101
5950-809-4071	8-3	L513
5950-809-4076	8-2	L516, L517
5950-809-4459	5-18	L201, L202
5950-809-4797	5-7	L406
5950-810-0824	5-6	L403, L405
5950-810-4611	5-10	L10
5950-812-2760	5-11	L13, L16
5950-955-2267	5-8	T301
5950-957-3013	5-10	L1, L2
	5-11	L19, L20
5950-957-4740	5-10	L4, L6
5960-230-5231	5-8	V308 thru V312
5960-262-0185	5-21	V307
5960-262-0286	5-24	V401
5960-615-0095	8-2	CR501, CR505
5960-615-0243	5-14	V109
	5-18	V204, V205, V207
5960-669-6861	5-21	V304
5960-669-6884	8-3	CR502, CR503, CR504
	5-6	CR2001
5960-679-5290	5-6	Q417

INDEX → FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE SYMBOL

STOCK NO.	FIGURE NO.	ITEM NO. REF. SYMBOL
5960-681-9596	5-10	V1 thru V5
	5-11	V6, V7, V10, V11, V12, V13
	5-14	V101, V103, V104, V105, V107, V113, V114, V115
	5-17	V201, V202
	5-18	V203, V206
	5-21	V301, V306
	8-2	V503, V506
	8-3	V507, V508
5960-686-7247	5-22	CR301
5960-806-5614	8-2	V501, V502, V504, V505
5960-811-5799	5-6	CR414, CR415
5960-814-0768	5-14	CR101, CR102, CR104
5960-852-7549	5-14	CR103
	5-24	CR413, CR416
5960-881-6636	5-5	V305
5960-892-0748	8-3	CR506
5960-892-3801	5-6	Q403, Q404, Q405, Q409, Q413, Q416, Q418, Q419
5960-978-7465	5-23	CR401 thru CR412
5961-062-2320	5-18	Q201, Q202
	8-2	Q501 thru Q504
5961-883-5305	5-24	Q401, Q402, Q406, Q407, Q408, Q410, Q411, Q412, Q414, Q415
6105-786-6636	5-7	B401
6145-542-6092		W4
6145-548-1266		W402
6210-583-3328		XDS2001
6240-155-8706	5-5	DS403 thru DS406
	7-1	DS1001
6240-179-1811	5-7	DS402
	8-3	V509
6240-539-8959	5-11	V8, V9
	5-14	V102, V110, V111, V116
	5-21	V302, V303
6240-683-0580	7-1	DS401
	1-1	DS2001
6250-283-9741	5-5	XDS403 thru XDS406
	7-1	XDS1001
6625-071-0778	1-1	A5
6625-071-0787	1-1	
6625-955-2269	5-8	DL301
6625-960-4308	5-5	DL1, DL2
6625-961-5888	1-1	A2000
6625-973-4775		W5

By Order of the Secretary of the Army:

HAROLD K. JOHNSON,
General, United States Army,
Chief of Staff.

Official:

KENNETH G. WICKHAM,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

USASA (2)
CNGB (1)
OCC–E (7)
Dir of Trans (1)
CofEngrs (1)
TSG (1)
CofSpts (1)
USAARENBD (2)
USACDCES (1)
USACDCCBRA (1)
USACDCCES (1)
USACDCCEA
Ft Huachuca (1)
USACDCQMA (1)
USACDCOA (1)
USACDCTA (1)
USACDCADA (1)
USACDCARMA (1)
USACDCAVNA (1)
USACDCARTYA (1)
USACDCSWA (1)
USAMC (5)
ARADCOM (5)
ARADCOM Rgn (2)
OS Maj Comd (4)
LOGCOMD (2)
USAMICOM (4)
USASTRATCOM (4)
USAESC (85)
MDW (1)
Armies (2)
Corps (2
USAC (3)
Svc Colleges (2)
USASCS (5)
USASECS (5)
USAADS (2)
USAAMS (2)
USAARMS (2)
USAIS (2)
USAES (2)
USATC Engr (2)
USATC Inf (2)
USASTC (2)
WRAMC (1)
Army Pic Cen (2)
USACDCEC (10)
Instl (2) except
Fort Hancock (4)
Fort Gordon (10)
Fort Huachuca (10)
WSMR (5)
Fort Carson (19)
Fort Knox (12)
USAEPG (5)
Army Dep (2) except
LBAD (14)
SAAD (30)
TOAD (14)
LEAD (7)
SHAD (3)
NAAD (5)
SVAD (5)
CHAD (3)
ATAD (10)
GENDEPS (2)
SIG Sec GENDEPS (5)
Sig Dep (12)
SigFLDMS (2)
AMC (1)
USAERDAA (2)
USAERDAW (13)
USACRREL (2)
Units Ord Under Fol TOE:
(2 cys each)

6–615	11–156
6–616	11–157
11–57	11–158
11–97	11–500 (AA–AC)
11–98	11–587
11–117	11–592
11–127	11–597
11–155	55–458

NG: State AG (3): units– same as Active Army Except allowance is one (1) copy per unit.

USAR: None.

For explanation of abmreviations used see AR 320–50.

☆ U. S. GOVERNMENT PRINTING OFFICE: 1968 O — 306-456/403